



Earth Sciences p 45, Biological Sciences p 50.

Earth Sciences

- Anderson B R, Gemmell J B & Berry R F 2001 The geology of the Nifty copper deposit, Throssell Group, Western Australia: Implications for ore genesis. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 1535-1565.
- Artemieva I M & Mooney W D 2001 Thermal thickness and evolution of Precambrian lithosphere: A global study. *Journal of Geophysical Research-Solid Earth* 106: 16387-16414.
- Bach N, Calais P & Calais M 2001 Marketing residential grid-connected PV systems using a Balanced Scorecard as a marketing tool. *Renewable Energy* 22: 211-216.
- Banks R J, Francis S C & Hipkin R G 2001 Effects of loads in the upper crust on estimates of the elastic thickness of the lithosphere. *Geophysical Journal International* 145: 291-299.
- Barber C J, Grice K, Bastow T P, Alexander R & Kagi R I 2001 The identification of crocetane in Australian crude oils. *Organic Geochemistry* 32: 943-947.
- Bateman R, Costa S, Swe T & Lambert D 2001 Archaean mafic magmatism in the Kalgoorlie area of the Yilgarn Craton, Western Australia: a geochemical and Nd isotopic study of the petrogenetic and tectonic evolution of a greenstone belt. *Precambrian Research* 108: 75-112.
- Beresford Q, Phillips H & Bekle H 2001 The salinity crisis in Western Australia: A case of policy paralysis. *Australian Journal of Public Administration* 60: 30-38.
- Beresford S W & Cas R A F 2001 Komatiitic invasive lava flows, Kambalda, Western Australia. *Canadian Mineralogist* 39: 525-535.
- Birol F & Morrow R 2001 Source of the baroclinic waves in the southeast Indian Ocean. *Journal of Geophysical Research-Oceans* 106: 9145-9160.
- Blake T S 2001 Cyclic continental mafic tuff and flood basalt volcanism in the Late Archaean Nullagine and Mount Jope - Supersequences in the eastern Pilbara, Western Australia. *Precambrian Research* 107: 139-177.
- Bolland M D A, Gilkes R J & Brennan R F 2001 The influence of soil properties on the effectiveness of phosphate rock fertilisers. *Australian Journal of Soil Research* 39: 773-798.
- Brauhart C W, Huston D L, Groves D I, Mikucki E J & Gardoll S J 2001 Geochemical mass-transfer patterns as indicators of the architecture of a complete volcanic-hosted massive sulfide hydrothermal alteration system, Panorama district, Pilbara, Western Australia. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 1263-1278.
- Brauhart C W, Huston D L, Groves D I, Mikucki E J & Gardoll S J 2001 Geochemical mass-transfer patterns as indicators of the architecture of a complete volcanic-hosted massive sulfide hydrothermal alteration system, Panorama district, Pilbara, Western Australia. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 1263-1278.
- Britt A F, Smith R E & Gray D J 2001 Element mobilities and the Australian regolith - a mineral exploration perspective. *Marine & Freshwater Research* 52: 25-39.
- Brooke B 2001 The distribution of carbonate eolianite. *Earth-Science Reviews* 55: 135-164.
- Browne K & Wagner J C 2001 Environmental exposure to amphibole-asbestos and mesothelioma. *Canadian Mineralogist* 21-28.
- Bruand A, Cochrane H, Fisher P & Gilkes R J 2001 Increase in the bulk density of a Grey Clay subsoil by infilling of cracks by topsoil. *European Journal of Soil Science* 52: 37-47.
- Brunskill G J, Orpin A R, Zagorskis I, Woolfe K J & Ellison J 2001 Geochemistry and particle size of surface sediments of Exmouth Gulf, northwest shelf, Australia. *Continental Shelf Research* 21: 157-201.
- Bryant E A & Nott J 2001 Geological indicators of large tsunami in Australia. *Natural Hazards* 24: 231-249.
- Burns K A, Greenwood P F, Summons R E & Brunskill G J 2001 Vertical fluxes of hydrocarbons on the Northwest Shelf of Australia as estimated by a sediment trap study. *Organic Geochemistry* 32: 1241-1255.
- Cady S L 2001 Paleobiology of the Archean. *Archaea: Ancient Microbes, Extreme Environments, And The Origin Of Life* 50: 3-35.
- Cas R A F & Beresford S W 2001 Field characteristics and erosional processes associated with komatiitic lavas: Implications for flow behavior. *Canadian Mineralogist* 39: 505-524.
- Chadwick B, Claeys P & Simonson B 2001 New evidence for a large Palaeoproterozoic impact: spherules in a dolomite layer in the Ketilidian orogen, South Greenland. *Journal of the Geological Society* 158: 331-340.
- Chamberlain K R & Bowring S A 2001 Apatite-feldspar U-Pb thermochronometer: a reliable, mid-range (similar to 450 degrees C), diffusion-controlled system. *Chemical Geology* 172: 173-200.
- Chambers L E 2001 Classifying rainfall districts: a south Western Australian study. *Australian Meteorological Magazine* 50: 91-103.
- Chauvet A, Piantone P, Barbanson L, Nehlig P & Pedroletti I 2001 Gold deposit formation during collapse tectonics: Structural, mineralogical, geochronological, and fluid inclusion constraints in the Ouro Preto gold mines, Quadrilatero Ferrifero, Brazil. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 25-48.
- Chen B L, Li Z J & Dong F X 2001 Analysis of ore-controlling structure in the Qifengcha-Detianguou gold deposit, Huairou County, Beijing. *Acta Geologica Sinica-English Edition* 75: 94-100.
- Chen S F, Libby J W, Greenfield J E, Wyche S & Riganti A 2001 Geometry and kinematics of large arcuate structures formed by impingement of rigid granitoids into greenstone belts during progressive shortening. *Geology* 29: 283-286.
- Chen S F, Witt W K & Liu S F 2001 Transpression and restraining jogs in the northeastern Yilgarn craton, Western Australia. *Precambrian Research* 106: 309-328.

- Chen Z L, Liu P F, Xu S J, Liu L, Yu J & Yu L Z 2001 Spatial distribution and accumulation of heavy metals in tidal flat sediments of Shanghai coastal zone. *Science in China Series B-Chemistry* 44: 197-208.
- Chen Z, Kostaschuk R & Yang M 2001 Heavy metals on tidal flats in the Yangtze Estuary, China. *Environmental Geology* 40: 742-749.
- Christie-Blick N, Williams G E & Gostin V A 2001 Discussion on mantle plume uplift in the sedimentary record: origin of kilometre-deep canyons within late Neoproterozoic successions, South Australia. *Journal of the Geological Society* 158: 573-576.
- Chu X L, Sun M & Zhou M F 2001 The Platinum-group element geochemistry in chemical geodynamics. *Acta Petrologica Sinica* 17: 112-122.
- Coates K A, Sorocco D A, Maturen N, Bilewitch J & Thompson A 2001 Mysterious 'crystals': found attached to the epidermal peritoneum of marine tubificid (Annelida, Clitellata) species. *Hydrobiologia* 463: 115-122.
- Condie K C, Marais D J D & Abbott D 2001 Precambrian superplumes and supercontinents: a record in black shales, carbon isotopes, and paleoclimates? *Precambrian Research* 106: 239-260.
- Corkeron M L & George A D 2001 Glacial incursion on a Neoproterozoic carbonate platform in the Kimberley region, Australia. *Geological Society of America Bulletin* 113: 1121-1132.
- Dann J C 2001 Vesicular komatiites, 3.5-Ga Komati Formation, Barberton Greenstone Belt, South Africa: inflation of submarine lavas and origin of spinifex zones. *Bulletin of Volcanology* 63: 462-481.
- d'Ars J D, Arndt N T & Hallot E 2001 Analog experimental insights into the formation of magmatic sulfide deposits. *Earth & Planetary Science Letters* 186: 371-381.
- Davis B K, Hickey K A & Rose S 2001 Superposition of gold mineralisation on pre-existing carbonate alteration: structural evidence from the Mulgarrie gold deposit, Yilgarn Craton. *Australian Journal of Earth Sciences* 48: 131-149.
- Davis B K, Pollard P J, Lally J H, McNaughton N J, Blake K & Williams P J 2001 Deformation history of the Naraku Batholith, Mt Isa Inlier, Australia: implications for pluton ages and geometries from structural study of the Dipvale Granodiorite and Levian Granite. *Australian Journal of Earth Sciences* 48: 113-129.
- de Meijer R J, James I R, Jennings P J & Koeyers J E 2001 Cluster analysis of radionuclide concentrations in beach sand. *Applied Radiation & Isotopes* 54: 535-542.
- de Souza Z S, Potrel A, Lafon J M, Althoff F J, Pimentel M M, Dall'Agnol R & de Oliveira C G 2001 Nd, Pb and Sr isotopes in the Identidade Belt, an Archaean greenstone belt of the Rio Maria region (Carajas Province, Brazil): implications for the Archaean geodynamic evolution of the Amazonian Craton. *Precambrian Research* 109: 293-315.
- Dodson J R & Ramrath A 2001 An Upper Pliocene lacustrine environmental record from south-Western Australia - preliminary results. *Palaeogeography Palaeoclimatology Palaeoecology* 167: 309-320.
- Donald E C, Porter I J & Lancaster R A 2001 Band incorporation of fluazinam (Shirlan) into soil to control clubroot of vegetable brassica crops. *Australian Journal of Experimental Agriculture* 41: 1223-1226.
- Donohue R, Davidson W A, Peters N E, Nelson S & Jakowyna B 2001 Trends in total phosphorus and total nitrogen concentrations of tributaries to the Swan-Canning Estuary, 1987 to 1998. *Hydrological Processes* 15: 2411-2434.
- Dudley B J, Gahnstrom A M E & Walker D I 2001 The role of benthic vegetation as a sink for elevated inputs of ammonium and nitrate in a mesotrophic estuary. *Marine Ecology Progress Series* 219: 99-107.
- Dugdale A L & Hagemann S G 2001 The Bronzewing lode-gold deposit, Western Australia: P-T-X evidence for fluid immiscibility caused by cyclic decompression in gold-bearing quartz-veins. *Chemical Geology* 173: 59-90.
- Duuring P & Hagemann S G 2001 A thrust ramp model for gold mineralization at the archaean Trondhjemite-hosted Tarmoola deposit: The importance of heterogeneous stress distributions around granitoid contacts. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 1379-1396.
- Eilu P, Mikucki E J & Dugdale A L 2001 Alteration zoning and primary geochemical dispersion at the Bronzewing lode-gold deposit, Western Australia. *Mineralium Deposita* 36: 13-31.
- Eriksson P G, Martins-Neto M A, Nelson D R, Aspler L B, Chiarenzelli J R, Catuneanu O, Sarkar S, Altermann W & Rautenbach C J D 2001 An introduction to Precambrian basins: their characteristics and genesis. *Sedimentary Geology* 141: 1-35.
- Ewing R C 2001 The design and evaluation of nuclear-waste forms: Clues from mineralogy. *Canadian Mineralogist* 39: 697-715.
- Eyles N & de Broekert P 2001 Glacial tunnel valleys in the Eastern Goldfields of Western Australia cut below the Late Paleozoic Pilbara ice sheet. *Palaeogeography Palaeoclimatology Palaeoecology* 171: 29-40.
- Eyles N, Eyles C H, Apak S N & Carlsen G M 2001 Permian-Carboniferous tectono-stratigraphic evolution and petroleum potential of the northern Canning basin, Western Australia. *AAPG Bulletin-American Association of Petroleum Geologists* 85: 989-1006.
- Fagents S A & Greeley R 2001 Factors influencing lava-substrate heat transfer and implications for thermomechanical erosion. *Bulletin of Volcanology* 62: 519-532.
- Featherstone W E & Stewart M P 2001 Combined analysis of real-time kinematic GPS equipment and its users for height determination. *Journal of Surveying Engineering-ASCE* 127: 31-51.
- Featherstone W E 2001 Absolute and relative testing of gravimetric geoid models using Global Positioning System and orthometric height data. *Computers & Geosciences* 27: 807-814.
- Ferdowsian R, Pannell D J, McCarron C, Ryder A & Crossing L 2001 Explaining groundwater hydrographs: separating atypical rainfall events from time trends. *Australian Journal of Soil Research* 39: 861-875.
- Fernando W I S & Iizumi S 2001 Rb-Sr whole rock-mineral isochron ages of plutonic rocks from the Wannu complex, Sri Lanka. *Gondwana Research* 4: 113-120.
- Frick L R, Lambert D D & Hoatson D M 2001 Re-Os dating of the Radio Hill Ni-Cu deposit, west Pilbara Craton, Western Australia. *Australian Journal of Earth Sciences* 48: 43-47.
- Fukuda K, Matsunaga M, Kato Y & Nakai I 2001 Chemical speciation of trace titanium in Hamersley banded iron formations by X-ray fluorescence imaging and XANES analysis. *Journal of Trace & Microprobe Techniques* 19: 509-519.

- Gager P & Conacher A 2001 Erosion of access tracks in Kalamunda National Park, Western Australia: causes and management implications. *Australian Geographer* 32: 343-357.
- Gammon P R & James N P 2001 Palaeogeographical influence an Late Eocene biosiliceous sponge-rich sedimentation, southern Western Australia. *Sedimentology* 48: 559-584.
- Gemmell J B & Herrmann W 2001 A special issue devoted to alteration associated with volcanic-hosted massive sulfide deposits, and its exploration significance. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 909-912.
- Glikson A Y 2001 The astronomical connection of terrestrial evolution: crustal effects of post-3.8 Ga mega-impact clusters and evidence for major 3.2 +/- 0.1 Ga bombardment of the Earth-Moon system. *Journal of Geodynamics* 32: 205-229.
- Goldfarb R J, Groves D I & Gardoll S 2001 Orogenic gold and geologic time: a global synthesis. *Ore Geology Reviews* 18: 1-75.
- Grguric B A, Madsen I C & Pring A 2001 Woodallite, a new chromium analogue of iowaite from the Mount Keith nickel deposit, Western Australia. *Mineralogical Magazine* 65: 427-435.
- Halls H C & Wingate M T D 2001 Paleomagnetic pole from the Yilgarn B (YB) dykes of Western Australia: no longer relevant to Rodinia reconstructions. *Earth & Planetary Science Letters* 187: 39-53.
- Hamilton D P & Turner J V 2001 Integrating research and management for an urban estuarine system: the Swan-Canning Estuary, Western Australia. *Hydrological Processes* 15: 2383-2385.
- Hamilton D P, Chan T, Robb M S, Pattiaratchi C B & Herzfeld M 2001 The hydrology of the upper Swan River Estuary with focus on an artificial destratification trial. *Hydrological Processes* 15: 2465-2480.
- Harris P, Fichez R, Fernandez J M, Golterman H & Badie C 2001 Using geochronology to reconstruct the evolution of particulate phosphorus inputs during the past century in the Papeete Lagoon (French Polynesia). *Oceanologica Acta* 24: 1-10.
- Hart M B, Joshi A & Watkinson M P 2001 Mid-late Cretaceous stratigraphy of the Cauvery basin and the development of the eastern Indian Ocean. *Journal of the Geological Society of India* 58: 217-229.
- Hassler S W & Simonson B M 2001 The sedimentary record of extraterrestrial impacts in deep-shelf environments: Evidence from the early Precambrian. *Journal of Geology* 109: 1-19.
- Heath C, Lahaye Y, Stone W E & Lambert D D 2001 Origin of variations in nickel tenor along the strike of the Edwards lode nickel sulfide orebody, Kambalda, Western Australia. *Canadian Mineralogist* 39: 655-671.
- Herzfeld M, Hamilton D P & Douglas G B 2001 Comparison of a mechanistic sediment model and a water column model for hindcasting oxygen decay in benthic chambers. *Ecological Modelling* 136: 255-267.
- Huang Y T, Gedeon T D & Wong P M 2001 An integrated neural-fuzzy-genetic-algorithm using hyper-surface membership functions to predict permeability in petroleum reservoirs. *Engineering Applications of Artificial Intelligence* 14: 15-21.
- Hurley P J, Blockley A & Rayner K 2001 Verification of a prognostic meteorological and air pollution model for year-long predictions in the Kwinana industrial region of Western Australia. *Atmospheric Environment* 35: 1871-1880.
- Huston D L, Brauhart C W, Drieberg S L, Davidson G J & Groves D I 2001 Metal leaching and inorganic sulfate reduction in volcanic-hosted massive sulfide mineral systems: Evidence from the paleo-Archean Panorama district, Western Australia. *Geology* 29: 687-690.
- James N P, Bone Y, Collins L B & Kyser T K 2001 Surficial sediments of the Great Australian Bight: Facies dynamics and oceanography on a vast cool-water carbonate shelf. *Journal of Sedimentary Research Section A-Sedimentary Petrology & Processes* 71: 549-567.
- Javorsek D, Elmore D, Fischbach E, Miller T, Oliver D & Teplitz V 2001 Experimental limits on the existence of strongly interacting massive particles bound to gold nuclei - art. no. 012005. *Physical Review D* 6401: 2005-+.
- Jia Y F, Li X & Kerrich R 2001 Stable isotope (O, H, S, C, and N) systematics of quartz vein systems in the turbidite-hosted Central and North Deborah gold deposits of the Bendigo cold field, Central Victoria, Australia: Constraints on the origin of ore-forming fluids. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 705-721.
- Joachimski M M, Ostertag-Henning C, Pancost R D, Strauss H, Freeman K H, Littke R, Damste J S S & Racki G 2001 Water column anoxia, enhanced productivity and concomitant changes in delta C-13 and delta S-34 across the Frasnian-Famennian boundary (Kowala Holy Cross Mountains/Poland). *Chemical Geology* 175: 109-131.
- Johnson C B & McQueen K G 2001 The nature of gold-bearing palaeochannel sediments in the Gidji area north of Kalgoorlie, Western Australia. *Quaternary International* 82: 51-62.
- Johnson R G 2001 Last interglacial sea stands on Barbados and an early anomalous deglaciation timed by differential uplift. *Journal of Geophysical Research-Oceans* 106: 11543-11551.
- Jothityangkoon C & Sivapalan M 2001 Temporal scales of rainfall-runoff processes and spatial scaling of flood peaks: space-time connection through catchment water balance. *Advances in Water Resources* 24: 1015-1036.
- Jothityangkoon C, Sivapalan M & Farmer D L 2001 Process controls of water balance variability in a large semi-arid catchment: downward approach to hydrological model development. *Journal of Hydrology* 254: 174-198.
- Kempe U, Belyatsky B V, Krymsky R S, Kremenetsky A A & Ivanov P A 2001 Sm-Nd and Sr isotope systematics of scheelite from the giant Au(-W) deposit Muruntau (Uzbekistan): implications for the age and sources of Au mineralization. *Mineralium Deposita* 36: 379-392.
- Kennedy W J, Gale A S & Hansen T A 2001 The last Maastrichtian ammonites from the Brazos River sections in Falls County, Texas. *Cretaceous Research* 22: 163-171.
- Kitajima K, Maruyama S, Utsunomiya S & Liou J G 2001 Seafloor hydrothermal alteration at an Archaean mid-ocean ridge. *Journal of Metamorphic Geology* 19: 581-597.
- Klein E L, dos Santos R A, Fuzikawa K & Angelica R S 2001 Hydrothermal fluid evolution and structural control of the Guarim gold mineralisation, Tapajos Province, Amazonian Craton, Brazil. *Mineralium Deposita* 36: 149-164.
- Kloppenburg A, White S H & Zegers T E 2001 Structural evolution of the Warrawoona Greenstone Belt and adjoining granitoid complexes, Pilbara Craton, Australia: implications for Archaean tectonic processes. *Precambrian Research* 112: 107-147.

- Konhauser K O, Phoenix V R, Bottrell S H, Adams D G & Head I M 2001 Microbial-silica interactions in Icelandic hot spring sinter: possible analogues for some Precambrian siliceous stromatolites. *Sedimentology* 48: 415-433.
- Konishi Y, Prince J & Knott B 2001 The fauna of thrombolitic microbialites, Lake Clifton, Western Australia. *Hydrobiologia* 457: 39-47.
- Lahaye Y, Barnes S J, Frick L R & Lambert D D 2001 Re-Os isotopic study of komatiitic volcanism and magmatic sulfide formation in the southern Abitibi greenstone belt, Ontario, Canada. *Canadian Mineralogist* 39: 473-490.
- Lee S Y, Ohnishi M, Shibata Y, Watanabe M, Hoshino K, Jige M, Gu X P, Chiba H, Oomori T, Fujioka K & Rona P A 2001 Zinc-rich pyrite from the TAG active mound, the TAG hydrothermal field, Mid-Atlantic Ridge. *Resource Geology* 51: 63-68.
- Leshner C M & Burnham O M 2001 Multicomponent elemental and isotopic mixing in Ni-Cu-(PGE) ores at Kambalda, Western Australia. *Canadian Mineralogist* 39: 421-446.
- Leshner C M, Burnham O M, Keays R R, Barnes S J & Hulbert L 2001 Trace-element geochemistry and petrogenesis of barren and ore-associated komatiites. *Canadian Mineralogist* 39: 673-696.
- Leutz R, Ackermann T, Akisawa A & Kashiwagi T 2001 Solar radiation for sorption cooling in Australiasia. *Renewable Energy* 22: 395-402.
- Li J H, Hou G T, Huang X N, Zhang Z Q & Qian X L 2001 The constraint for the supercontinental cycles: evidence from Precambrian geology of North China Block. *Acta Petrologica Sinica* 17: 177-186.
- Li Z X & Powell C M 2001 An outline of the palaeogeographic evolution of the Australasian region since the beginning of the Neoproterozoic. *Earth-Science Reviews* 53: 237-277.
- Loch A D & Floyd R B 2001 Insect pests of Tasmanian blue gum, *Eucalyptus globulus globulus*, in south-western Australia: History, current perspectives and future prospects. *Austral Ecology* 26: 458-466.
- Lowe D & Lloyd C R 2001 Renewable energy systems for remote areas in Australia. *Renewable Energy* 22: 369-378.
- Lukey G C, Van Deventer J S J & Shallcross D C 2001 Equilibrium model for the sorption of gold cyanide and copper cyanide on trimethylamine ion exchange resin in saline solutions. *Hydrometallurgy* 59: 101-113.
- Masselink G & Pattiaratchi C B 2001 Characteristics of the sea breeze system in Perth, Western Australia, and its effect on the nearshore wave climate. *Journal of Coastal Research* 17: 173-187.
- Masselink G & Pattiaratchi C B 2001 Seasonal changes in beach morphology along the sheltered coastline of Perth, Western Australia. *Marine Geology* 172: 243-263.
- McLoughlin S 2001 The breakup history of Gondwana and its impact on pre-Cenozoic floristic provincialism. *Australian Journal of Botany* 49: 271-300.
- Meert J G 2001 Growing Gondwana and rethinking Rodinia: A paleomagnetic perspective. *Gondwana Research* 4: 279-288.
- Mojzsis S J, Harrison T M & Pidgeon R T 2001 Oxygen-isotope evidence from ancient zircons for liquid water at the Earth's surface 4,300 Myr ago. *Nature* 409: 178-181.
- Mondal M E A & Ahmad T 2001 Bundelkhand mafic dykes, Central Indian Shield: Implications for the role of sediment subduction in Proterozoic crustal evolution. *Island Arc* 10: 51-67.
- Muggler C C, Van Loef J J, Buurman P & van Doesburg J D J 2001 Mineralogical and (sub) microscopic aspects of iron oxides in polygenetic Oxisols from Minas Gerais, Brazil. *Geoderma* 100: 147-171.
- Muller A, Gagan M K & McCulloch M T 2001 Early marine diagenesis in corals and geochemical consequences for paleoceanographic reconstructions. *Geophysical Research Letters* 28: 4471-4474.
- Nelson D R 2001 An assessment of the determination of depositional ages for Precambrian elastic sedimentary rocks by U-Pb dating of detrital zircons. *Sedimentary Geology* 141: 37-60.
- Newson T A & Fahey M 2001 Site investigation of soft tailings deposits using a hovercraft. *Proceedings of the Institution of Civil Engineers Geotechnical Engineering* 149: 115-125.
- Nisbet E G & Sleep N H 2001 The habitat and nature of early life. *Nature* 409: 1083-1091.
- Nutman A P, Friend C R L & Bennett V C 2001 Review of the oldest (4400-3600 Ma) geological and mineralogical record: Glimpses of the beginning. *Episodes* 24: 93-101.
- Oliver N H S & Cawood P A 2001 Early tectonic dewatering and brecciation on the overturned sequence at Marble Bar, Pilbara Craton, Western Australia: dome-related or not? *Precambrian Research* 105: 1-15.
- Oliver N H S 2001 Linking of regional and local hydrothermal systems in the mid-crust by shearing and faulting. *Tectonophysics* 335: 147-161.
- Ollier C D 2001 Evolution of the Australian landscape. *Marine & Freshwater Research* 52: 13-23.
- Page R W, Griffin T J, Tyler I M & Sheppard S 2001 Geochronological constraints on tectonic models for Australian Palaeoproterozoic high-K granites. *Journal of the Geological Society* 158: 535-545.
- Parrotta J A & Knowles O H 2001 Restoring tropical forests on lands mined for bauxite: Examples from the Brazilian Amazon. *Ecological Engineering* 17: 219-239.
- Pearson S G, Baynes A & Triggs B E 2001 The record of fauna, and accumulating agents of hair and bone, found in middens of stick-nest rats (Genus *Leporillus*) (Rodentia: Muridae). *Wildlife Research* 28: 435-444.
- Peck D C, Keays R R, James R S, Chubb P T & Reeves S J 2001 Controls on the formation of contact-type platinum-group element mineralization in the East Bull Lake intrusion. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 559-581.
- Peck W H, Valley J W, Wilde S A & Graham C M 2001 Oxygen isotope ratios and rare earth elements in 3.3 to 4.4 Ga zircons: Ion microprobe evidence for high delta O-18 continental crust and oceans in the Early Archean. *Geochimica et Cosmochimica Acta* 65: 4215-4229.
- Petrov P Y & Semikhatov M A 2001 Sequence organization and growth patterns of late Mesoproterozoic stromatolite reefs: an example from the Burovaya Formation, Turukhansk Uplift, Siberia. *Precambrian Research* 111: 257-281.
- Pfeil B E, Tindale M D & Craven L A 2001 A review of the *Glycine clandestina* species complex (Fabaceae: Phaseolae) reveals two new species. *Australian Systematic Botany* 14: 891-900.
- Phoenix V R, Konhauser K O, Adams D G & Bottrell S H 2001 Role of biomineralization as an ultraviolet shield: Implications for Archean life. *Geology* 29: 823-826.
- Phoenix V R, Konhauser K O, Adams D G & Bottrell S H 2001 Role of biomineralization as an ultraviolet shield: Implications for Archean life. *Geology* 29: 823-826.

- Pillans B & Bourman R 2001 Mid Pleistocene arid shift in southern Australia, dated by magnetostratigraphy. *Australian Journal of Soil Research* 39: 89-98.
- Pinti D L & Hashizume K 2001 N-15-depleted nitrogen in Early Archean kerogens: clues on ancient marine chemosynthetic-based ecosystems? A comment to Beaumont, V., Robert, F., 1999. *Precambrian Res.* 96, 62-82. *Precambrian Research* 105: 85-88.
- Pinti D L, Hashizume K & Matsuda J 2001 Nitrogen and argon signatures in 3.8 to 2.8 Ga metasediments: Clues on the chemical state of the Archean ocean and the deep biosphere. *Geochimica et Cosmochimica Acta* 65: 2301-2315.
- Pinti D L, Matsuda J & Maruyama S 2001 Anomalous xenon in archean cherts from Pilbara Craton, Western Australia. *Chemical Geology* 175: 387-395.
- Pisarevsky S A & Harris L B 2001 Determination of magnetic anisotropy and a ca 1.2 Ga palaeomagnetic pole from the Bremer Bay area, Albany Mobile Belt, Western Australia. *Australian Journal of Earth Sciences* 48: 101-112.
- Pisarevsky S A, Li Z X, Grey K & Stevens M K 2001 A palaeomagnetic study of Empress 1A, a stratigraphic drillhole in the Officer Basin: evidence for a low-latitude position of Australia in the Neoproterozoic. *Precambrian Research* 110: 93-108.
- Playford P E & Wallace M W 2001 Exhalative mineralization in Devonian reef complexes of the Canning basin, Western Australia. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 1595-1610.
- Potemra J T 2001 Contribution of equatorial Pacific winds to southern tropical Indian Ocean Rossby waves. *Journal of Geophysical Research-Oceans* 106: 2407-2422.
- Prata A J, Baines P G & Tildesley P C 2001 Observations of concentric ring clouds west of Australia. *International Journal of Remote Sensing* 22: 2847-2852.
- Price D M, Brooke B P & Woodroffe C D 2001 Thermoluminescence dating of aeolianites from Lord Howe Island and South-West Western Australia. *Quaternary Science Reviews* 20: 841-846.
- Provencio P P & Polyak V J 2001 Iron oxide-rich filaments: Possible fossil bacteria in Lechuguilla Cave, New Mexico. *Geomicrobiology Journal* 18: 297-309.
- Puchtel I S & Humayun M 2001 Platinum group element fractionation in a komatiitic basalt lava lake. *Geochimica et Cosmochimica Acta* 65: 2979-2993.
- Rasmussen B, Fletcher I R & McNaughton N J 2001 Dating low-grade metamorphic events by SHRIMP U-Pb analysis of monazite in shales. *Geology* 29: 963-966.
- Reason C J C 2001 Subtropical Indian Ocean SST dipole events and southern African rainfall. *Geophysical Research Letters* 28: 2225-2227.
- Reed C P & Wallace M W 2001 Diagenetic evidence for an epigenetic origin of the Courtbrown Zn-Pb deposit, Ireland. *Mineralium Deposita* 36: 428-441.
- Retallack G J 2001 *Scoyenia* burrows from Ordovician palaeosols of the Juniata Formation in Pennsylvania. *Palaeontology* 44: 209-235.
- Robert F 2001 Syenite-associated disseminated gold deposits in the Abitibi greenstone belt, Canada. *Mineralium Deposita* 36: 503-516.
- Roberts N, Meadows M E & Dodson J R 2001 The history of mediterranean-type environments: climate, culture and landscape. *Holocene* 11: 631-634.
- Rotstein Y, Munsch M & Bernard A 2001 The Kerguelen Province revisited: Additional constraints on the early development of the southeast Indian Ocean. *Marine Geophysical Researches* 22: 81-100.
- Roy P S, Williams R J, Jones A R, Yassini I, Gibbs P J, Coates B, West R J, Scanes P R, Hudson J P & Nichol S 2001 Structure and function of south-east Australian estuaries. *Estuarine Coastal & Shelf Science* 53: 351-384.
- Sazonov V N, van Herk A H & de Boorder H 2001 Spatial and temporal distribution of gold deposits in the urals. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 685-703.
- Scheinost A C, Stanjek H, Schulze D G, Gasser U & Sparks D L 2001 Structural environment and oxidation state of Mn in goethite-groutite solid-solutions. *American Mineralogist* 86: 139-146.
- Sharpe R & Gemmel J B 2001 Alteration characteristics of the Archean Golden Grove Formation at the Gossan Hill Deposit, Western Australia: Induration as a focusing mechanism for mineralizing hydrothermal fluids. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 1239-1262.
- Sheppard S, Griffin T J, Tyler I M & Page R W 2001 High- and low-K granites and adakites at a Palaeoproterozoic plate boundary in northwestern Australia. *Journal of the Geological Society* 158: 547-560.
- Smithies R H, Nelson D R & Pike G 2001 Development of the Archean Mallina Basin, Pilbara Craton, northwestern Australia; a study of detrital and inherited zircon ages. *Sedimentary Geology* 141: 79-94.
- St-Onge M R, Scott D J & Wodicka N 2001 Terrane boundaries within Trans-Hudson Orogen (Quebec-Baffin segment), Canada: changing structural and metamorphic character from foreland to hinterland. *Precambrian Research* 107: 75-91.
- Storey K 2001 Fly-in/Fly-out and Fly-over: mining and regional development in Western Australia. *Australian Geographer* 32: 133-148.
- Stott M B, Franzmann P D, Zappia L R, Watling H R, Quan L P, Clark B J, Houchin M R, Miller P C & Williams T L 2001 Thiocyanate removal from saline CIP process water by a rotating biological contactor, with reuse of the water for bioleaching. *Hydrometallurgy* 62: 93-105.
- Sumita I, Hatakeyama T, Yoshihara A & Hamano Y 2001 Paleomagnetism of late Archean rocks of Hamersley basin, Western Australia and the paleointensity at early Proterozoic. *Physics of the Earth & Planetary Interiors* 128: 223-241.
- Taylor B A & Haig D W 2001 Barremian foraminifera from the Muderong Shale, oldest marine sequence in the Cretaceous of the Southern Carnarvon Basin, Western Australia. *Micropaleontology* 47: 125-143.
- Taylor D, Dalstra H J, Harding A E, Broadbent G C & Barley M E 2001 Genesis of high-grade hematite orebodies of the Hamersley province, Western Australia. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 837-873.
- Timbal B & McAvaney B J 2001 An analogue-based method to downscale surface air temperature: application for Australia. *Climate Dynamics* 17: 947-963.
- Tompkins L A & Cowan D R 2001 Opaque mineralogy and magnetic properties of selected banded iron-formations, Hamersley Basin, Western Australia. *Australian Journal of Earth Sciences* 48: 427-437.
- Torsvik T H, Carter L M, Ashwal L D, Bhushan S K, Pandit M K & Jamtveit B 2001 Rodinia refined or obscured: palaeomagnetism of the Malani igneous suite (NW India). *Precambrian Research* 108: 319-333.

- Tsikos H, Moore J M & Harris C 2001 Geochemistry of the Palaeoproterozoic Mooidraai Formation: Fe-rich limestone as end member of iron formation deposition, Kalahari Manganese Field, Transvaal Supergroup, South Africa. *Journal of African Earth Sciences* 32: 19-27.
- Turney C S M, Bird M I, Fifield L K, Roberts R G, Smith M, Dortch C E, Grun R, Lawson E, Ayliffe L K, Miller G H, Dortch J & Cresswell R G 2001 Early human occupation at Devil's Lair, southwestern Australia 50,000 years ago. *Quaternary Research* 55: 3-13.
- Ueno Y, Isozaki Y, Yurimoto H & Maruyama S 2001 Carbon isotopic signatures of individual Archean microfossils(?) from Western Australia. *International Geology Review* 43: 196-212.
- Uysal I T, Golding S D, Glikson A Y, Mory A J & Glikson M 2001 K-Ar evidence from illitic clays of a Late Devonian age for the 120 km diameter Woodleigh impact structure, Southern Carnarvon Basin, Western Australia. *Earth & Planetary Science Letters* 192: 281-289.
- van Haaften W M & White S H 2001 Reply to comment on "Evidence for multiphase deformation in the Archean basal Warrawoona group in the Marble Bar area, East Pilbara, Western Australia" (van Haaften, W.M., White, S.H., 1998. *Precambrian Research* 88, 53-66) by M.J. Van Kranendonk, A.H. Hickman, W.J. Collins. *Precambrian Research* 105: 79-84.
- Van Kranendonk M J, Hickman A H & Collins W J 2001 Comment on "Evidence for multiphase deformation in the Archean basal Warrawoona group in the Marble Bar area, East Pilbara, Western Australia" by van Haaften, W.M., White, S.H., 1998 - *Precambrian Research* 88, 53-66. *Precambrian Research* 105: 73-78.
- Viney N R & Sivapalan M 2001 Modelling catchment processes in the Swan-Avon river basin. *Hydrological Processes* 15: 2671-2685.
- Wallis L A 2001 Environmental history of northwest Australia based on phytolith analysis at Carpenter's Gap 1. *Quaternary International* 5: 103-117.
- Webb G E 2001 Famennian mud-mounds in the proximal fore-reef slope, Canning Basin, Western Australia. *Sedimentary Geology* 145: 295-315.
- Webb K M & Ho G E 2001 Characterisation of waste solutions to determine optimised P recovery. *Environmental Technology* 22: 1303-1312.
- Wei C J, Zhang C G, Zhang A L, Wu T H & Li J H 2001 Metamorphic P-T conditions and geological significance of high-pressure granulite from the Jianping complex, western Liaoning province. *Acta Petrologica Sinica* 17: 269-282.
- Westall F, de Wit M J, Dann J, van der Gaast S, de Ronde C E J & Gerneke D 2001 Early Archean fossil bacteria and biofilms in hydrothermally-influenced sediments from the Barberton greenstone belt, South Africa. *Precambrian Research* 106: 93-116.
- Wilde S A, Valley J W, Peck W H & Graham C M 2001 Evidence from detrital zircons for the existence of continental crust and oceans on the Earth 4.4 Gyr ago. *Nature* 409: 175-178.
- Williams D A, Davies A G, Keszthelyi L P & Greeley R 2001 The summer 1997 eruption at Pillan Patera on Io: Implications for ultrabasic lava flow emplacement. *Journal of Geophysical Research-Planets* 106: 33105-33119.
- Williams D A, Kerr R C, Leshner C M & Barnes S J 2001 Analytical/numerical modeling of komatiite lava emplacement and thermal erosion at Perseverance, Western Australia. *Journal of Volcanology & Geothermal Research* 110: 27-55.
- Wilson A H 2001 Compositional and lithological controls on the PGE-bearing sulphide zones in the Selukwe Subchamber, Great Dyke: a combined equilibrium-Rayleigh fractionation model. *Journal of Petrology* 42: 1845-1867.
- Witt W K 2001 Tower Hill gold deposit, Western Australia: an atypical, multiply deformed Archean gold-quartz vein deposit. *Australian Journal of Earth Sciences* 48: 81-99.
- Yeats C J, Kohler E A, McNaughton N J & Tkatchyk L J 2001 Geological setting and SHRIMP U-Pb geochronological evidence for ca. 2680-2660 Ma lode-gold mineralization at Jundee-Nimary in the Yilgarn Craton, Western Australia. *Mineralium Deposita* 36: 125-136.
- Yeats C J, Kohler E A, McNaughton N J & Tkatchyk L J 2001 Geological setting and SHRIMP U-Pb geochronological evidence for ca. 2680-2660 Ma lode-gold mineralization at Jundee-Nimary in the Yilgarn Craton, Western Australia. *Mineralium Deposita* 36: 125-136.
- Young G C, Lelievre H & Goujet D 2001 Primitive jaw structure in an articulated brachyothoracid arthrodire (placoderm fish; Early Devonian) from southeastern Australia. *Journal of Vertebrate Paleontology* 21: 670-678.
- Zegers T E & van Keken P E 2001 Middle Archean continent formation by crustal delamination. *Geology* 29: 1083-1086.
- Zegers T E, Nelson D R, Wijbrans J R & White S H 2001 SHRIMP U-Pb zircon dating of Archean core complex formation and pancratonic strike-slip deformation in the East Pilbara Granite-Greenstone Terrain. *Tectonics* 20: 883-908.
- Zhang G L, Boulter C A & Liang J C 2001 Brittle origins for disseminated gold mineralization in mylonite: Gaocun gold deposit, Hetai goldfield, Guangdong Province, South China. *Economic Geology & the Bulletin of the Society of Economic Geologists* 96: 49-59.
- Zhao J X, Xia Q K & Collerson K D 2001 Timing and duration of the Last Interglacial inferred from high resolution U-series chronology of stalagmite growth in Southern Hemisphere. *Earth & Planetary Science Letters* 184: 635-644.
- Zolotukhin V V, Polyakov G V, Balykin P A & Glotov A I 2001 Genetic aspect of Cu-Mi sulfide mineralization during komatiite and related magmatism. *Geologiya i Geofizika* 42: 1090-1099.

Biological Sciences

- Abbott I A & McDermid K J 2001 *Dudresnaya babbittiana* (Dumontiaceae, Gigartinales), a new red algal species from Midway Atoll, North Central Pacific. *Cryptogamie Algologie* 22: 249-261.
- Adams C L & Hooper J N A 2001 A revision of Australian *Erylus* (Porifera: Demospongiae: Astrophorida: Geodiidae) with a tabular review of worldwide species. *Invertebrate Taxonomy* 15: 319-340.
- Aken'Ova T O L & Cribb T H 2001 Two new species of *Neolebouria* Gibson, 1976 (Digenea: Opecoelidae) from temperate marine fishes of Australia. *Systematic Parasitology* 49: 65-71.
- Al Bakri D 2001 Towards developing a geoscientific approach to sustainable agricultural and rural development. *Environmental Geology* 40: 543-556.
- Aldaoud R, Guppy W, Callinan L, Flett S F, Wratten K A, Murray G A, Cook T & McAllister A 2001 Occurrence of *Phytophthora clandestina* in *Trifolium subterraneum* paddocks in Australia. *Australian Journal of Experimental Agriculture* 41: 187-194.

- Allen G R & Hunt J 2001 Larval competition, adult fitness, and reproductive strategies in the acoustically orienting ormiine *Homotrixa alleni* (Diptera: Tachinidae). *Journal of Insect Behavior* 14: 283-297.
- Anstee S & Armstrong K 2001 The effect of familiarity and mound condition in translocations of the western pebble-mound mouse, *Pseudomys chapmani*, in the Pilbara region of Western Australia. *Wildlife Research* 28: 135-140.
- Armstrong K N 2001 The distribution and roost habitat of the orange leaf-nosed bat, *Rhinonicteris aurantius*, in the Pilbara region of Western Australia. *Wildlife Research* 28: 95-104.
- Asseng S, Dunin F X, Fillery I R P, Tennant D & Keating B A 2001 Potential deep drainage under wheat crops in a Mediterranean climate. II. Management opportunities to control drainage. *Australian Journal of Agricultural Research* 52: 57-66.
- Asseng S, Fillery I R P, Dunin F X, Keating B A & Meinke H 2001 Potential deep drainage under wheat crops in a Mediterranean climate. I. Temporal and spatial variability. *Australian Journal of Agricultural Research* 52: 45-56.
- Asseng S, Turner N C & Keating B A 2001 Analysis of water- and nitrogen-use efficiency of wheat in a Mediterranean climate. *Plant & Soil* 233: 127-143.
- Astill H & Lavery P S 2001 The dynamics of unattached benthic macroalgal accumulations in the Swan-Canning Estuary. *Hydrological Processes* 15: 2387-2399.
- Atkins R, Rose T, Brown R S & Robb M 2001 The *Microcystis cyanobacteria* bloom in the Swan River - February 2000. *Water Science & Technology* 43: 107-114.
- Baker M C, Baker E M & Baker M S A 2001 Island and island-like effects on vocal repertoire of singing honeyeaters. *Animal Behaviour* 62: 767-774.
- Banks P B 2001 Predation-sensitive grouping and habitat use by eastern grey kangaroos: a field experiment. *Animal Behaviour* 61: 1013-1021.
- Bathgate J A & Loughman R 2001 Ascospores are a source of inoculum of *Phaeosphaeria nodorum*, *P-avenaria* f. sp *avenaria* and *Mycosphaerella graminicola* in Western Australia. *Australasian Plant Pathology* 30: 317-322.
- Batty A L, Dixon K W, Brundrett M & Sivasithamparam K 2001 Constraints to symbiotic germination of terrestrial orchid seed in a mediterranean bushland. *New Phytologist* 152: 511-520.
- Begg G A & Weidman C R 2001 Stable delta C-13 and delta O-18 isotopes in otoliths of haddock *Melanogrammus aeglefinus* from the northwest Atlantic Ocean. *Marine Ecology Progress Series* 216: 223-233.
- Behboudian M H, Ma Q F, Turner N C & Palta J A 2001 Reactions of chickpea to water stress: yield and seed composition. *Journal of the Science of Food & Agriculture* 81: 1288-1291.
- Bell S J, Barton A F M & Stocker L J 2001 Agriculture for health and profit in Western Australia: The Western Oil Mallee Project. *Ecosystem Health* 7: 116-121.
- Bell S S, Brooks R A, Robbins B D, Fonseca M S & Hall M O 2001 Faunal response to fragmentation in seagrass habitats: implications for seagrass conservation. *Biological Conservation* 100: 115-123.
- Bencini R, McCulloch C, Mills H R & Start A N 2001 Habitat and diet of the dibbler (*Parantechinus apicalis*) on two islands in Jurien Bay, Western Australia. *Wildlife Research* 28: 465-468.
- Beresford Q 2001 Developmentalism and its environmental legacy: The Western Australia Wheatbelt, 1900-1990s. *Australian Journal of Politics & History* 47: 403-414.
- Beresford Q, Phillips H & Bekle H 2001 The salinity crisis in Western Australia: A case of policy paralysis. *Australian Journal of Public Administration* 60: 30-38.
- Berry O 2001 Genetic evidence for wide dispersal by the sand frog, *Heleioporus psammophilus* (Anura: Myobatrachidae), in Western Australia. *Journal of Herpetology* 35: 136-141.
- Bhathal J S & Loughman R 2001 Ability of retained stubble to carry-over leaf diseases of wheat in rotation crops. *Australian Journal of Experimental Agriculture* 41: 649-653.
- Biroul F & Morrow R 2001 Source of the baroclinic waves in the southeast Indian Ocean. *Journal of Geophysical Research-Oceans* 106: 9145-9160.
- Black R & Johnson M S 2001 Contrasting life histories and demographics of eight species of littorines at Ningaloo Reef, Western Australia. *Journal of Shellfish Research* 20: 393-402.
- Boarder S J & Shpigel M 2001 Comparative performances of juvenile *Haliotis roei* fed on enriched *Ulva rigida* and various artificial diets. *Journal of Shellfish Research* 20: 653-657.
- Bolland M D A, Gilkes R J & Brennan R F 2001 The influence of soil properties on the effectiveness of phosphate rock fertilisers. *Australian Journal of Soil Research* 39: 773-798.
- Bolland M D A, Rengel Z, Paszkudzka-Baizert L & Osborne L D 2001 Responses of subterranean clover and Italian ryegrass to application of lime. *Australian Journal of Experimental Agriculture* 41: 177-185.
- Bolland M D A, Riethmuller G P, Siddique K H M & Loss S P 2001 Method of phosphorus fertiliser application and row spacing on grain yield of faba bean (*Vicia faba* L.). *Australian Journal of Experimental Agriculture* 41: 227-234.
- Bos D G & Carthew S M 2001 Population ecology of *Ningauivyonneae* (Dasyuridae: Marsupialia) in the Middleback Ranges, Eyre Peninsula, South Australia. *Wildlife Research* 28: 507-515.
- Bougher N L & Lebel T 2001 Sequestrate (truffle-like) fungi of Australia and New Zealand. *Australian Systematic Botany* 14: 439-484.
- Bradshaw S D, Morris K D & Bradshaw F J 2001 Water and electrolyte homeostasis and kidney function of desert-dwelling marsupial wallabies in Western Australia. *Journal of Comparative Physiology - B, Biochemical, Systemic, & Environmental Physiology* 171: 23-32.
- Brailovsky H 2001 A new genus and species of *Amorhini* from Australia (Heteroptera: Coreidae: Coreinae), with a key to the known genera. *Journal of the New York Entomological Society* 109: 206-213.
- Bray R A & Cribb T H 2001 *Tormopsolus attenuatus* n. sp (Digenea: Acanthocolpidae) from *Seriola hippos* (Perciformes: Carangidae), Western Australia, with some observations on the relationships in the genus. *Systematic Parasitology* 50: 91-99.
- Brennan R F & Bolland M D A 2001 Comparing fertilizer phosphorus requirements of canola, lupin, and wheat. *Journal of Plant Nutrition* 24: 1885-1900.
- Brennan R F 2001 Residual value of zinc fertiliser for production of wheat. *Australian Journal of Experimental Agriculture* 41: 541-547.
- Brennan R F, Bolland M D A & Shea G 2001 Comparing how *Lupinus angustifolius* and *Lupinus luteus* use zinc fertilizer for seed production. *Nutrient Cycling in Agroecosystems* 59: 209-217.
- Brennan R F, Bolland M D A & Siddique K H M 2001 Responses of cool-season grain legumes and wheat to

- soil-applied zinc. *Journal of Plant Nutrition* 24: 727-741.
- Brooker B 2001 Biology of the Southern Scrub-robin (*Drymodes brunneopygia*) at Peron Peninsula, Western Australia. *Emu* 101: 181-190.
- Brooker M & Brooker L 2001 Breeding biology, reproductive success and survival of blue-breasted fairy-wrens in fragmented habitat in the Western Australian wheatbelt. *Wildlife Research* 28: 205-214.
- Bryant E A & Nott J 2001 Geological indicators of large tsunamis in Australia. *Natural Hazards* 24: 231-249.
- Burgess S S O, Adams M A, Turner N C, White D A & Ong C K 2001 Tree roots: conduits for deep recharge of soil water. *Oecologia* 126: 158-165.
- Burgess T, Wingfield B D & Wingfield M J 2001 Comparison of genotypic diversity in native and introduced population of *Sphaeropsis sapinea* isolated from *Pinus radiata*. *Mycological Research* 105: 1331-1339.
- Burrows N D 2001 Flame residence times and rates of weight loss of eucalypt forest fuel particles. *International Journal of Wildland Fire* 10: 137-143.
- Cady S L 2001 Paleobiology of the Archean. *Archaea: Ancient Microbes, Extreme Environments, And The Origin Of Life* 50: 3-35.
- Callow M N, Baker J E & Hough G M 2001 The effect of accumulation period and harvest date in spring on dry-matter yield and forage quality in mixed swards containing *Lolium* spp. and *Trifolium subterraneum* in Western Australia. *Grass & Forage Science* 56: 10-20.
- Chambers L E 2001 Classifying rainfall districts: a south Western Australian study. *Australian Meteorological Magazine* 50: 91-103.
- Chan T U & Hamilton P 2001 Effect of freshwater flow on the succession and biomass of phytoplankton in a seasonal estuary. *Marine & Freshwater Research* 52: 869-884.
- Chapman R & Asseng S 2001 An analysis of the frequency and timing of false break events in the Mediterranean region of Western Australia. *Australian Journal of Agricultural Research* 52: 367-376.
- Coates D J & Atkins K A 2001 Priority setting and the conservation of Western Australia's diverse and highly endemic flora. *Biological Conservation* 97: 251-263.
- Coates K A, Sorocco D A, Maturen N, Bilewitch J & Thompson A 2001 Mysterious 'crystals': found attached to the epidermal peritoneum of marine tubificid (Annelida, Clitellata) species. *Hydrobiologia* 463: 115-122.
- Cocks P S 2001 Ecology of herbaceous perennial legumes: a review of characteristics that may provide management options for the control of salinity and waterlogging in dryland cropping systems. *Australian Journal of Agricultural Research* 52: 137-151.
- Connell E L & Walker D I 2001 Nutrient cycling associated with the seagrass *Halophila ovalis* in the Swan-Canning Estuary based on seasonal variations in biomass and tissue nutrients. *Hydrological Processes* 15: 2401-2409.
- Connor R C, Heithaus M R & Barre L M 2001 Complex social structure, alliance stability and mating access in a bottlenose dolphin 'super-alliance'. *Proceedings of the Royal Society of London - Series B: Biological Sciences* 268: 263-267.
- Conroy T J, Cook P L & Bock P E 2001 New species of *Otionellina* and *Selenaria* (Bryozoa-Cheilostomata) from the South West Shelf, Western Australia. *Transactions of the Royal Society of South Australia* 125: 15-23.
- Craig M D & Roberts J D 2001 Evaluation of the impact of time of day, weather, vegetation density and bird movements on outcomes of area searches for birds in eucalypt forests of south-western Australia. *Wildlife Research* 28: 33-39.
- Crisp M D, Laffan S, Linder H P & Monro A 2001 Endemism in the Australian flora. *Journal of Biogeography* 28: 183-198.
- Cruz A & Moreno J M 2001 Seasonal course of total non-structural carbohydrates in the lignotuberous Mediterranean-type shrub *Erica australis*. *Oecologia* 128: 343-350.
- Curry G N, Koczberski G & Selwood J 2001 Cashing out, cashing in: rural change on the south coast of Western Australia. *Australian Geographer* 32: 109-124.
- Dadour I R, Cook D F & Wirth N 2001 Rate of development of *Hydrotaea rostrata* under summer and winter (cyclic and constant) temperature regimes. *Medical & Veterinary Entomology* 15: 177-182.
- Dadour I R, Cook D F, Fissioli J N & Bailey W J 2001 Forensic entomology: application, education and research in Western Australia. *Forensic Science International* 120: 48-52.
- Dalal R C & Chan K Y 2001 Soil organic matter in rainfed cropping systems of the Australian cereal belt. *Australian Journal of Soil Research* 39: 435-464.
- Davies H L & Southey I N 2001 Effects of grazing management and stocking rate on pasture production, ewe liveweight, ewe fertility and lamb growth on subterranean clover-based pasture in Western Australia. *Australian Journal of Experimental Agriculture* 41: 161-168.
- Della-Marta P M 2001 Seasonal climate summary southern hemisphere (summer 1999/2000): a second successive weak cool episode (La Nina) reaches maturity. *Australian Meteorological Magazine* 50: 65-75.
- Dickman C R, Haythornthwaite A S, McNaught G H, Mahon P S, Tamayo B & Letnic M 2001 Population dynamics of three species of dasyurid marsupials in arid central Australia: a 10-year study. *Wildlife Research* 28: 493-506.
- Dodson J R & Ramrath A 2001 An Upper Pliocene lacustrine environmental record from south-Western Australia - preliminary results. *Palaeogeography Palaeoclimatology Palaeoecology* 167: 309-320.
- Dolling P J 2001 Water use and drainage under phalaris, annual pasture, and crops on a duplex soil in Western Australia. *Australian Journal of Agricultural Research* 52: 305-316.
- Donald E C, Porter I J & Lancaster R A 2001 Band incorporation of fluazinam (Shirlan) into soil to control clubroot of vegetable brassica crops. *Australian Journal of Experimental Agriculture* 41: 1223-1226.
- Donohue R, Davidson W A, Peters N E, Nelson S & Jakowyna B 2001 Trends in total phosphorus and total nitrogen concentrations of tributaries to the Swan-Canning Estuary, 1987 to 1998. *Hydrological Processes* 15: 2411-2434.
- Dracup M, Thomson R & Galwey N 2001 Restricted branching narrow-leaved lupin - 3. Poor establishment. *Australian Journal of Experimental Agriculture* 41: 781-786.
- Dudley B J, Gahnstrom A M E & Walker D I 2001 The role of benthic vegetation as a sink for elevated inputs of ammonium and nitrate in a mesotrophic estuary. *Marine Ecology Progress Series* 219: 99-107.
- Dunbabin V, Rengel Z & Diggie A 2001 *Lupinus angustifolius* has a plastic uptake response to heterogeneously supplied nitrate while *Lupinus pilosus* does not. *Australian Journal of Agricultural Research* 52: 505-512.

- Dunbabin V, Rengel Z & Diggle A 2001 The root growth response to heterogeneous nitrate supply differs for *Lupinus angustifolius* and *Lupinus pilosus*. *Australian Journal of Agricultural Research* 52: 495-503.
- Ecker S, Karafilis A & Taylor R 2001 Challenges of the Blackwood Basin, Western Australia. *Water Science & Technology* 43: 37-44.
- Edwards J W, Edyvane K S, Boxall V A, Hamann M & Soole K L 2001 Metal levels in seston and marine fish flesh near industrial and metropolitan centres in South Australia. *Marine Pollution Bulletin* 42: 389-396.
- Edwards O R 2001 Interspecific and intraspecific variation in the performance of three pest aphid species on five grain legume hosts. *Entomologia Experimentalis et Applicata* 100: 21-30.
- El-Rashidy H & Boxshall G A 2001 Biogeography and phylogeny of *Paraergasilus* Markevich, 1937 (Copepoda: Ergasilidae) with descriptions of two new species from the gills of grey mullet. *Journal of Natural History* 35: 1807-1819.
- Enright N J & Kintrup A 2001 Effects of smoke, heat and charred wood on the germination of dormant soil-stored seeds from a *Eucalyptus baxteri* heathy-woodland in Victoria, SE Australia. *Austral Ecology* 26: 132-141.
- Evans J, McNeill A M, Unkovich M J, Fettell N A & Heenan D P 2001 Net nitrogen balances for cool-season grain legume crops and contributions to wheat nitrogen uptake: a review. *Australian Journal of Experimental Agriculture* 41: 347-359.
- Fairbanks M M, Hardy G & McComb J A 2001 The effect of phosphite on the sexual reproduction of some annual species of the jarrah (*Eucalyptus marginata*) forest of southwest Western Australia. *Sexual Plant Reproduction* 13: 315-321.
- Ferdowsian R, Pannell D J, McCarron C, Ryder A & Crossing L 2001 Explaining groundwater hydrographs: separating atypical rainfall events from time trends. *Australian Journal of Soil Research* 39: 861-875.
- Fillery I R P 2001 The fate of biologically fixed nitrogen in legume-based dryland farming systems: a review. *Australian Journal of Experimental Agriculture* 41: 361-381.
- Flores J & Briones O 2001 Plant life-form and germination in a Mexican inter-tropical desert: effects of soil water potential and temperature. *Journal of Arid Environments* 47: 485-497.
- Ford H A, Barrett G W, Saunders D A & Recher H F 2001 Why have birds in the woodlands of Southern Australia declined? *Biological Conservation* 97: 71-88.
- French R J, Sweetingham M W & Shea G G 2001 A comparison of the adaptation of yellow lupin (*Lupinus luteus* L.) and narrow-leaved lupin (*L. angustifolius* L.) to acid sandplain soils in low rainfall agricultural areas of Western Australia. *Australian Journal of Agricultural Research* 52: 945-954.
- Fry B G, Wickramaratna J C, Jones A, Alewood P F & Hodgson W C 2001 Species and regional variations in the effectiveness of antivenom against the in Vitro neurotoxicity of death adder (*Acanthophis*) venoms. *Toxicology & Applied Pharmacology* 175: 140-148.
- Gager P & Conacher A 2001 Erosion of access tracks in Kalamunda National Park, Western Australia: causes and management implications. *Australian Geographer* 32: 343-357.
- Gammon P R & James N P 2001 Palaeogeographical influence an Late Eocene biosiliceous sponge-rich sedimentation, southern Western Australia. *Sedimentology* 48: 559-584.
- Gaughan D J, White K V & Fletcher W J 2001 The links between functionally distinct adult assemblages of *Sardinops sagax*: larval advection across management boundaries. *ICES Journal of Marine Science* 58: 597-606.
- Gerber L R & Hilborn R 2001 Catastrophic events and recovery from low densities in populations of otariids: implications for risk of extinction. *Mammal Review* 31: 131-150.
- Gill J S, Sivasithamparam K & Smettem K R J 2001 Influence of depth of soil disturbance on root growth dynamics of wheat seedlings associated with *Rhizoctonia solani* AG-8 disease severity in sandy and loamy sand soils of Western Australia. *Soil & Tillage Research* 62: 73-83.
- Gorfine H K, Taylor B L & Walker T I 2001 Triggers and targets: What are we aiming for with abalone fisheries models in Australia. *Journal of Shellfish Research* 20: 803-811.
- Grant C D & Loneragan W A 2001 The effects of burning on the understorey composition of rehabilitated bauxite mines in Western Australia: community changes and vegetation succession. *Forest Ecology & Management* 145: 255-279.
- Grant C D & MacGregor C M 2001 Topsoil seed banks in grazed and ungrazed eucalypt woodlands at Newholme, Armidale, New South Wales, Australia. *New Zealand Journal of Botany* 39: 471-481.
- Greenop B, Lovatt K & Robb M 2001 The use of artificial oxygenation to reduce nutrient availability in the Canning River, Western Australia. *Water Science & Technology* 43: 133-144.
- Greer A E 2001 Distribution of maximum snout-vent length among species of scincid lizards. *Journal of Herpetology* 35: 383-395.
- Gremigni P, Wong M T F, Edwards N K, Harris D & Hamblin J 2001 Potassium nutrition effects on seed alkaloid concentrations, yield and mineral content of lupins (*Lupinus angustifolius*). *Plant & Soil* 234: 131-142.
- Grgurinovic C A 2001 Agaricales in Australasia. *Australian Systematic Botany* 14: 395-406.
- Griffin D A, Wilkin J L, Chubb C F, Pearce A F & Caputi N 2001 Ocean currents and the larval phase of Australian western rock lobster, *Panulirus cygnus*. *Marine & Freshwater Research* 52: 1187-1199.
- Griffin S L, Herzfeld M & Hamilton D P 2001 Modelling the impact of zooplankton grazing on phytoplankton biomass during a dinoflagellate bloom in the Swan River Estuary, Western Australia. *Ecological Engineering* 16: 373-394.
- Gupta S & Loughman R 2001 Current virulence of *Pyrenophora teres* on barley in Western Australia. *Plant Disease* 85: 960-966.
- Hamilton D P & Turner J V 2001 Integrating research and management for an urban estuarine system: the Swan-Canning Estuary, Western Australia. *Hydrological Processes* 15: 2383-2385.
- Hamilton D P, Chan T, Robb M S, Pattiaratchi C B & Herzfeld M 2001 The hydrology of the upper Swan River Estuary with focus on an artificial destratification trial. *Hydrological Processes* 15: 2465-2480.
- Hanley M E, Fenner M & Ne'eman G 2001 Pregermination heat shock and seedling growth of fire-following Fabaceae from four Mediterranean-climate regions. *Acta Oecologica-International Journal of Ecology* 22: 315-320.
- Hansford K A 2001 The use of objective testing of bales in-store for lot matching. 1. Interlot wool matched for fibre

- diameter on the basis of laserscan measurements. *Wool Technology & Sheep Breeding* 49: 156-166.
- Hardy G E S, Barrett S & Shearer B L 2001 The future of phosphite as a fungicide to control the soilborne plant pathogen *Phytophthora cinnamomi* in natural ecosystems. *Australasian Plant Pathology* 30: 133-139.
- Harris S A, Cyrus D P & Beckley L E 2001 Horizontal trends in larval fish diversity and abundance along an ocean-estuarine gradient on the northern KwaZulu-Natal coast, South Africa. *Estuarine Coastal & Shelf Science* 53: 221-235.
- Harvey P R, Butterworth P J, Hawke B G & Pankhurst C E 2001 Genetic and pathogenic variation among cereal, medic and sub-clover isolates of *Pythium irregulare*. *Mycological Research* 105: 85-93.
- Heads M 2001 Birds of paradise (Paradisaeidae) and bowerbirds (Ptilonorhynchidae): regional levels of biodiversity and terrane tectonics in New Guinea. *Journal of Zoology* 255: 331-339.
- Hearn C J & Robson B J 2001 Inter-annual variability of bottom hypoxia in shallow Mediterranean estuaries. *Estuarine Coastal & Shelf Science* 52: 643-657.
- Heithaus M R 2001 Shark attacks on bottlenose dolphins (*Tursiops aduncus*) in Shark Bay, Western Australia: Attack rate, bite scar frequencies and attack seasonality. *Marine Mammal Science* 17: 526-539.
- Heithaus M R 2001 The biology of tiger sharks, *Galeocerdo cuvier*, in Shark Bay, Western Australia: Sex ratio, size distribution, diet, and seasonal changes in catch rates. *Environmental Biology of Fishes* 61: 25-36.
- Herron G A, Powis K & Rophail J 2001 Insecticide resistance in *Aphis gossypii* Glover (Hemiptera: Aphididae), a serious threat to Australian cotton. *Australian Journal of Entomology* 40: 85-89.
- Herzfeld M, Hamilton D P & Douglas G B 2001 Comparison of a mechanistic sediment model and a water column model for hindcasting oxygen decay in benthic chambers. *Ecological Modelling* 136: 255-267.
- Hobbs R J 2001 Synergisms among habitat fragmentation, livestock grazing, and biotic invasions in southwestern Australia. *Conservation Biology* 15: 1522-1528.
- Huberli D, Tommerup I C, Dobrowolski M P, Calver M C & Hardy G E S 2001 Phenotypic variation in a clonal lineage of two *Phytophthora cinnamomi* populations from Western Australia. *Mycological Research* 105: 1053-1064.
- Hurley P J, Blockley A & Rayner K 2001 Verification of a prognostic meteorological and air pollution model for year-long predictions in the Kwinana industrial region of Western Australia. *Atmospheric Environment* 35: 1871-1880.
- Inoue T, Takematsu Y, Hyodo F, Sugimoto A, Yamada A, Klangkaew C, Kirtibutr N & Abe T 2001 The abundance and biomass of subterranean termites (Isoptera) in a dry evergreen forest of northeast Thailand. *Sociobiology* 37: 41-52.
- Jackson G & Cheng Y W 2001 Parameter estimation with egg production surveys to estimate snapper, *Pagrus auratus*, biomass in Shark Bay, Western Australia. *Journal of Agricultural, Biological, & Environmental Statistics*. 6: 243-257.
- Jaume D, Boxshall G A & Humphreys W F 2001 New stygobiont copepods (Calanoida; Misophrioida) from Bundera Sinkhole, an anchialine cenote in north-western Australia. *Zoological Journal of the Linnean Society* 133: 1-24.
- Johnson M S, Bentley S L, Ford S S, Ladyman M T & Lambert G J 2001 Effects of a complex archipelago on genetic subdivision of the intertidal limpet *Siphonaria kurracheensis*. *Marine Biology* 139: 1087-1094.
- Jones J B & Lawrence C S 2001 Diseases of yabbies (*Cherax albidus*) in Western Australia. *Aquaculture* 194: 221-232.
- Jothityangkoon C & Sivapalan M 2001 Temporal scales of rainfall-runoff processes and spatial scaling of flood peaks: space-time connection through catchment water balance. *Advances in Water Resources* 24: 1015-1036.
- Jothityangkoon C, Sivapalan M & Farmer D L 2001 Process controls of water balance variability in a large semi-arid catchment: downward approach to hydrological model development. *Journal of Hydrology* 254: 174-198.
- Kanandjembo A N, Potter I C & Platell M E 2001 Abrupt shifts in the fish community of the hydrologically variable upper estuary of the Swan River. *Hydrological Processes* 15: 2503-2517.
- Kay W R, Halse S A, Scanlon M D & Smith M J 2001 Distribution and environmental tolerances of aquatic macroinvertebrate families in the agricultural zone of southwestern Australia. *Journal of the North American Benthological Society* 20: 182-199.
- Kearney M, Shine R, Comber S & Pearson D 2001 Why do geckos group? An analysis of "social" aggregations in two species of Australian lizards. *Herpetologica* 57: 411-422.
- Kennedy D J & Benedictus G 2001 Control of *Mycobacterium avium* subsp. *paratuberculosis* infection in agricultural species. *Revue Scientifique et Technique* 20: 151-179.
- Kennedy W J, Gale A S & Hansen T A 2001 The last Maastrichtian ammonites from the Brazos River sections in Falls County, Texas. *Cretaceous Research* 22: 163-171.
- Khangura R K & Barbetti M J 2001 Prevalence of blackleg (*Leptosphaeria maculans*) on canola (*Brassica napus*) in Western Australia. *Australian Journal of Experimental Agriculture* 41: 71-80.
- Kimura S, Iwatsuki Y & Yoshino T 2001 Validity of the atherinid fish, *Atherinomorus vaigiensis* (Quoy and Gaimard, 1825), with comments on its synonymy. *Ichthyological Research* 48: 379-384.
- Konishi Y, Prince J & Knott B 2001 The fauna of thrombolitic microbialites, Lake Clifton, Western Australia. *Hydrobiologia* 457: 39-47.
- Kritsky D C & Stephens F 2001 *Haliotrema abaddon* N. sp. (Monogenea: Dactylogyridae) from the gills of wild and maricultured West Australian dhufish *Glaucosoma heptraicum* (Teleostei: Glaucosomatidae), in Australia. *Journal of Parasitology* 87: 749-754.
- Lamont B B, Marsula R, Enright N J & Witkowski E T F 2001 Conservation requirements of an exploited wildflower: modelling the effects of plant age, growing conditions and harvesting intensity. *Biological Conservation* 99: 157-168.
- Latham L J & Jones R A C 2001 Alfalfa mosaic and pea seed-borne mosaic viruses in cool season crop, annual pasture, and forage legumes: susceptibility, sensitivity, and seed transmission. *Australian Journal of Agricultural Research* 52: 771-790.
- Latham L J & Jones R A C 2001 Incidence of virus infection in experimental plots, commercial crops, and seed stocks of cool season crop legumes. *Australian Journal of Agricultural Research* 52: 397-413.
- Latham L J, Jones R A C & McKirdy J 2001 Cucumber mosaic cucumovirus infection of cool-season crop, annual pasture, and forage legumes: susceptibility, sensitivity, and seed transmission. *Australian Journal of Agricultural Research* 52: 683-697.

- Latta R A, Blacklow L J & Cocks P S 2001 Comparative soil water, pasture production, and crop yields in phase farming systems with lucerne and annual pasture in Western Australia. *Australian Journal of Agricultural Research* 52: 295-303.
- Lefroy E C, Pate J S & Stirzaker R J 2001 Growth, water use efficiency, and adaptive features of the tree legume tagasaste (*Chamaecytisus proliferus* Link.) on deep sands in south-western Australia. *Australian Journal of Agricultural Research* 52: 221-234.
- Lefroy E C, Stirzaker R J & Pate J S 2001 The influence of tagasaste (*Chamaecytisus proliferus* Link.) trees on the water balance of an alley cropping system on deep sand in south-western Australia. *Australian Journal of Agricultural Research* 52: 235-246.
- Lindenmayer D B, Cunningham R B, MacGregor C, Tribolet C & Donnelly C F 2001 A prospective longitudinal study of landscape matrix effects on fauna in woodland remnants: experimental design and baseline data. *Biological Conservation* 101: 157-169.
- Linke T E, Platell M E & Potter I C 2001 Factors influencing the partitioning of food resources among six fish species in a large embayment with juxtaposing bare sand and seagrass habitats. *Journal of Experimental Marine Biology & Ecology* 266: 193-217.
- Lis J A & Heyna J 2001 Revision of the Australian genus *Blaena* (Heteroptera: Cydnidae). *European Journal of Entomology* 98: 321-350.
- Loch A D & Floyd R B 2001 Insect pests of Tasmanian blue gum, *Eucalyptus globulus globulus*, in south-western Australia: History, current perspectives and future prospects. *Austral Ecology* 26: 458-466.
- Luck G W 2001 The demography and cooperative breeding behaviour of the rufous tree creeper, *Climacteris rufa*. *Australian Journal of Zoology* 49: 515-537.
- Luck G W 2001 Variability in provisioning rates to nestlings in the cooperatively breeding Rufous Tree creeper, *Climacteris rufa*. *Emu* 101: 221-224.
- Lund M A, Lavery P S & Froend R F 2001 Removing filterable reactive phosphorus from highly coloured stormwater using constructed wetlands. *Water Science & Technology* 44: 85-92.
- MacArthur L D & Hyndes G A 2001 Differential use of seagrass assemblages by a suite of odacid species. *Estuarine Coastal & Shelf Science* 52: 79-90.
- Marullo R 2001 Gall thrips of the Austro-Pacific genus *Euoplothrips* Hood (Thysanoptera), with a new species from Australia. *Entomologica Scandinavica* 32: 93-98.
- Masini R J, Anderson P K & McComb A J 2001 A Halodule-dominated community in a subtropical embayment: physical environment, productivity, biomass, and impact of dugong grazing. *Aquatic Botany* 71: 179-197.
- Masselink G & Pattiaratchi C B 2001 Characteristics of the sea breeze system in Perth, Western Australia, and its effect on the nearshore wave climate. *Journal of Coastal Research* 17: 173-187.
- Masselink G & Pattiaratchi C B 2001 Seasonal changes in beach morphology along the sheltered coastline of Perth, Western Australia. *Marine Geology* 172: 243-263.
- Maxwell A, Hardy G E S & Dell B 2001 First record of *Mycosphaerella nubilosa* in Western Australia. *Australasian Plant Pathology* 30: 65.
- McDonald F J D 2001 Two new species of *Diaphyta* Bergroth with notes on the genus (Hemiptera: Pentatomidae). *Australian Journal of Entomology* 40: 17-22.
- McDonnell P A, Upcroft J, Upcroft P & Buret A 2001 Morphological identification markers for distinguishing avian from mammalian *Giardia* species - do they need reconsideration? *European Journal of Protistology* 37: 273-280.
- McDougall K L, Hardy G E S & Hobbs R J 2001 Additions to the host range of *Phytophthora cinnamomi* in the jarrah (*Eucalyptus marginata*) forest of Western Australia. *Australian Journal of Botany* 49: 193-198.
- McKenna F, El-Tarabily K A, Hardy G E S & Dell B 2001 Novel *in vivo* use of a polyvalent *Streptomyces* phage to disinfect *Streptomyces scabies*-infected seed potatoes. *Plant Pathology* 50: 666-675.
- McKirby S J, Mackie A E & Kumar S 2001 Apple scab successfully eradicated in Western Australia. *Australasian Plant Pathology* 30: 371.
- McLoughlin S 2001 The breakup history of Gondwana and its impact on pre-Cenozoic floristic provincialism. *Australian Journal of Botany* 49: 271-300.
- Meekan M G, Wilson S G, Halford A & Retzel A 2001 A comparison of catches of fishes and invertebrates by two light trap designs, in tropical NW Australia. *Marine Biology* 139: 373-381.
- Meert J G 2001 Growing Gondwana and rethinking Rodinia: A paleomagnetic perspective. *Gondwana Research* 4: 279-288.
- Melville-Smith R, Anderton S M & Caputi N 2001 Predicting the recreational western rock lobster (*Panulirus cygnus*) catch in Western Australia. *Marine & Freshwater Research* 52: 1527-1534.
- Metzeling L & Miller J 2001 Evaluation of the sample size used for the rapid bioassessment of rivers using macroinvertebrates. *Hydrobiologia* 444: 159-170.
- Miller J M, Williams R J & Farquhar G D 2001 Carbon isotope discrimination by a sequence of Eucalyptus species along a subcontinental rainfall gradient in Australia. *Functional Ecology* 15: 222-232.
- Minton C D T & Serra L 2001 Biometrics and moult of Grey Plovers, *Pluvialis squatarola*, in Australia. *Emu* 101: 13-18.
- Moro D 2001 Evaluation and cost-benefits of controlling house mice (*Mus domesticus*) on islands: an example from Thevenard Island, Western Australia. *Biological Conservation* 99: 355-364.
- Morris W J & Wooller R D 2001 The structure and dynamics of an assemblage of small birds in a semi-arid eucalypt woodland in south-western Australia. *Emu* 101: 7-12.
- Morton B & Jones D S 2001 The biology of *Hipponix australis* (Gastropoda: Hipponicidae) on *Nassarius pauperatus* (Nassariidae) in Princess Royal Harbour, Western Australia. *Journal of Molluscan Studies* 67: 247-255.
- Moseby K E & Read J L 2001 Factors affecting pitfall capture rates of small ground vertebrates in arid South Australia. II. Optimum pitfall trapping effort. *Wildlife Research* 28: 61-71.
- Nauen R, Stumpf N, Elbert A, Zebitz C P W & Kraus W 2001 Acaricide toxicity and resistance in larvae of different strains of *Tetranychus urticae* and *Panonychus ulmi* (Acari: Tetranychidae). *Pest Management Science* 57: 253-261.
- Nisbet E G & Sleep N H 2001 The habitat and nature of early life. *Nature* 409: 1083-1091.
- Oliveira R S, Koskinen W C & Ferreira F A 2001 Sorption and leaching potential of herbicides on Brazilian soils. *Weed Research* 41: 97-110.
- Ollier C D 2001 Evolution of the Australian landscape. *Marine & Freshwater Research* 52: 13-23.

- O'Mara K L & Jennings P J 2001 Greenhouse education: Just Hot Air? *Renewable Energy* 22: 127-133.
- Paling E I, van Keulen M, Wheeler K D, Phillips J, Dyhrberg R & Lord D A 2001 Improving mechanical seagrass transplantation. *Ecological Engineering* 18: 107-113.
- Paling E I, van Keulen M, Wheeler K, Phillips J & Dyhrberg R 2001 Mechanical seagrass transplantation in Western Australia. *Ecological Engineering* 16: 331-339.
- Palta J A & Peltzer S 2001 Annual ryegrass (*Lolium rigidum*) reduces the uptake and utilisation of fertiliser-nitrogen by wheat. *Australian Journal of Agricultural Research* 52: 573-581.
- Pannell D J 2001 Dryland salinity: economic, scientific, social and policy dimensions. *Australian Journal of Agricultural & Resource Economics* 45: 517-546.
- Pannell D J, McFarlane D J & Ferdowsian R 2001 Rethinking the externality issue for dryland salinity in Western Australia. *Australian Journal of Agricultural & Resource Economics* 45: 459-475.
- Pareek M, Cole L & Ashford A E 2001 Variations in structure of aerial and submerged rhizomorphs of *Armillaria luteobubalina* indicate that they may be organs of absorption. *Mycological Research* 105: 1377-1387.
- Park J O, Hargreaves J R, Cole A L J, Ghisalberti E L, Gams W & Sivasithamparan K 2001 Cuticular disruption and mortality of *Caenorhabditis elegans* exposed to culture filtrate of *Byssoschlamys nivea* Westling. *Nematology* 3: 355-363.
- Parrotta J A & Knowles O H 2001 Restoring tropical forests on lands mined for bauxite: Examples from the Brazilian Amazon. *Ecological Engineering* 17: 219-239.
- Pate J S 2001 Haustoria in action: case studies of nitrogen acquisition by woody xylem-tapping hemiparasites from their hosts. *Protoplasma* 215: 204-217.
- Pate J S, Verboom W H & Galloway P D 2001 Co-occurrence of Proteaceae, laterite and related oligotrophic soils: coincidental associations or causative inter-relationships? *Australian Journal of Botany* 49: 529-560.
- Paul K I, Black A S & Conyers M K 2001 Influence of fallow, wheat and subterranean clover on pH within an initially mixed surface soil in the field. *Biology & Fertility of Soils* 33: 41-52.
- Paula J, Costa P F E, Martins A & Gove D 2001 Patterns of abundance of seagrasses and associated infaunal communities at Inhaca Island, Mozambique. *Estuarine Coastal & Shelf Science* 53: 307-318.
- Paynter B H, Juskiw P E & Helm J H 2001 Phenological development in two-row spring barley when grown in a long-day (Alberta, Canada) and a short-day (Western Australia, Australia) environment. *Canadian Journal of Plant Science* 81: 621-629.
- Pearson S G, Baynes A & Triggs B E 2001 The record of fauna, and accumulating agents of hair and bone, found in middens of stick-nest rats (Genus *Leporillus*) (Rodentia: Muridae). *Wildlife Research* 28: 435-444.
- Peeters P J, Read J & Sanson G D 2001 Variation in the guild composition of herbivorous insect assemblages among co-occurring plant species. *Austral Ecology* 26: 385-399.
- Peintner U, Bougher N L, Castellano M A, Moncalvo J M, Moser M M, Trappe J M & Vilgalys R 2001 Multiple origins of sequestrate fungi related to *Cortinarius* (Cortinariaceae). *American Journal of Botany* 88: 2168-2179.
- Penniford M & Davis J 2001 Macrofauna and nutrient cycling in the Swan River Estuary, Western Australia: experimental results. *Hydrological Processes* 15: 2537-2553.
- Peoples M B & Baldock J A 2001 Nitrogen dynamics of pastures: nitrogen fixation inputs, the impact of legumes on soil nitrogen fertility, and the contributions of fixed nitrogen to Australian farming systems. *Australian Journal of Experimental Agriculture* 41: 327-346.
- Peoples M B, Bowman A M, Gault R R, Herridge D F, McCallum M H, McCormick K M, Norton R M, Rochester I J, Scammell G J & Schwenke G D 2001 Factors regulating the contributions of fixed nitrogen by pasture and crop legumes to different farming systems of eastern Australia. *Plant & Soil* 228: 29-41.
- Peters N E & Donohue R 2001 Nutrient transport to the Swan-Canning Estuary, Western Australia. *Hydrological Processes* 15: 2555-2577.
- Petersen E H & Fraser R W 2001 An assessment of the value of seasonal forecasting technology for Western Australian farmers. *Agricultural Systems* 70: 259-274.
- Petrov P Y & Semikhatov M A 2001 Sequence organization and growth patterns of late Mesoproterozoic stromatolite reefs: an example from the Burovaya Formation, Turukhansk Uplift, Siberia. *Precambrian Research* 111: 257-281.
- Pettit N E & Froend R H 2001 Availability of seed for recruitment of riparian vegetation: a comparison of a tropical and a temperate river ecosystem in Australia. *Australian Journal of Botany* 49: 515-528.
- Pettit N E & Froend R H 2001 Long-term changes in the vegetation after the cessation of livestock grazing in *Eucalyptus marginata* (jarrah) woodland remnants. *Austral Ecology* 26: 22-31.
- Pettit N E, Froend R H & Davies P M 2001 Identifying the natural flow regime and the relationship with riparian vegetation for two contrasting western Australian rivers. *Regulated Rivers-Research & Management* 17: 201-215.
- Pfeil B E, Tindale M D & Craven L A 2001 A review of the *Glycine clandestina* species complex (Fabaceae: Phaseolae) reveals two new species. *Australian Systematic Botany* 14: 891-900.
- Phillips J A 2001 Marine macroalgal biodiversity hotspots: why is there high species richness and endemism in southern Australian marine benthic flora? *Biodiversity & Conservation* 10: 1555-1577.
- Phoenix V R, Konhauser K O, Adams D G & Bottrell S H 2001 Role of biomineralization as an ultraviolet shield: Implications for Archean life. *Geology* 29: 823-826.
- Pichelin S & Cribb T H 2001 *Neoechinorhynchus ningalooensis* sp nov (Acanthocephala: Neoechinorhynchidae) from *Scarus ghobban* and *S. psittacus* (Scaridae) from Western Australia. *Transactions of the Royal Society of South Australia* 125: 51-55.
- Pillans B & Bourman R 2001 Mid Pleistocene arid shift in southern Australia, dated by magnetostratigraphy. *Australian Journal of Soil Research* 39: 89-98.
- Pinder A 2001 Notes on the diversity and distribution of Australian Naididae and Phreodrilidae (Oligochaeta: Annelida). *Hydrobiologia* 463: 49-64.
- Pinti D L & Hashizume K 2001 N-15-depleted nitrogen in Early Archean kerogens: clues on ancient marine chemosynthetic-based ecosystems? A comment to Beaumont, V., Robert, F., 1999. *Precambrian Res.* 96, 62-82. *Precambrian Research* 105: 85-88.
- Plummer J A, Rogers A D, Turner D W & Bell D T 2001 Light, nitrogenous compounds, smoke and GA(3) break dormancy and enhance germination in the Australian everlasting daisy, *Shoemia filifolia* subsp *subulifolia*. *Seed Science & Technology* 29: 321-330.

- Pope L, Storch D, Adams M, Moritz C & Gordon G 2001 A phylogeny for the genus *Isoodon* and a range extension for *I. obesulus peninsulae* based on mtDNA control region and morphology. *Australian Journal of Zoology* 49: 411-434.
- Potemra J T 2001 Contribution of equatorial Pacific winds to southern tropical Indian Ocean Rossby waves. *Journal of Geophysical Research-Oceans* 106: 2407-2422.
- Prata A J, Baines P G & Tildesley P C 2001 Observations of concentric ring clouds west of Australia. *International Journal of Remote Sensing* 22: 2847-2852.
- Provencio P P & Polyak V J 2001 Iron oxide-rich filaments: Possible fossil bacteria in Lechuguilla Cave, New Mexico. *Geomicrobiology Journal* 18: 297-309.
- Pudovskis M S, Johnson M S & Black R 2001 Genetic divergence of peripherally disjunct populations of the gastropod *Batillariella estuarina* in the Houtman Abrolhos Islands, Western Australia. *Molecular Ecology* 10: 2605-2616.
- Purwantara A, Drenth A, Flett S P, Guppy W & Keane P J 2001 Diversity of *Phytophthora clandestina* isolated from subterranean clover in southern Australia: Analysis of virulence and RAPD profiles. *European Journal of Plant Pathology* 107: 305-311.
- Radho-Toly S, Majer J D & Yates C 2001 Impact of fire on leaf nutrients, arthropod fauna and herbivory of native and exotic eucalypts in Kings Park, Perth, Western Australia. *Austral Ecology* 26: 500-506.
- Raven J A, Walker D I, Jensen K R, Handley L L, Scrimgeour C M & McInroy S G 2001 What fraction of the organic carbon in sacoglossans is obtained from photosynthesis by kleptoplastids? An investigation using the natural abundance of stable carbon isotopes. *Marine Biology* 138: 537-545.
- Read J & Bowen Z 2001 Population dynamics, diet and aspects of the biology of feral cats and foxes in arid South Australia. *Wildlife Research* 28: 195-203.
- Read J L & Moseby K E 2001 Factors affecting pitfall capture rates of small ground vertebrates in arid South Australia. I. The influence of weather and moon phase on capture rates of reptiles. *Wildlife Research* 28: 53-60.
- Reason C J C 2001 Subtropical Indian Ocean SST dipole events and southern African rainfall. *Geophysical Research Letters* 28: 2225-2227.
- Retallack G J 2001 *Scoyenia* burrows from Ordovician palaeosols of the Juniata Formation in Pennsylvania. *Palaeontology* 44: 209-235.
- Reyes O & Casal M 2001 The influence of seed age on germinative response to the effects of fire in *Pinus pinaster*, *Pinus radiata* and *Eucalyptus globulus*. *Annals of Forest Science* 58: 439-447.
- Rhind S G, Bradley J S & Cooper N K 2001 Morphometric variation and taxonomic status of brush-tailed phascogales, *Phascogale tapoatafa* (Meyer, 1793) (Marsupialia: Dasyuridae). *Australian Journal of Zoology* 49: 345-368.
- Richards J D, Short J, Prince R I T, Friend J A & Courtenay J M 2001 The biology of banded (*Lagostrophus fasciatus*) and rufous (*Lagorchestes hirsutus*) hare-wallabies (Diprotodontia: Macropodidae) on Dorre and Bernier Islands, Western Australia. *Wildlife Research* 28: 311-322.
- Riley I T & Kelly S J 2001 *Radopholus nativus* (Nematoda: Pratylenchidae), a potential economic pest of wheat in Western Australia. *Nematology* 3: 25-30.
- Riley I T & Wouts W M 2001 *Pratylenchus* and *Radopholus* species in agricultural soils and native vegetation in Southern Australia. *Transactions of the Royal Society of South Australia* 125: 147-153.
- Riley I T, Schmitz A & de Silva P 2001 *Anguina australis*, a vector for *Rathayibacter toxicus* in *Ehrharta longiflora*. *Australasian Plant Pathology* 30: 171-175.
- Riley I T, Shedley D & Sivasithamparam K 2001 Anhydrobiosis and reproduction in *Anguina australis*. *Australasian Plant Pathology* 30: 361-364.
- Roberts N, Meadows M E & Dodson J R 2001 The history of mediterranean-type environments: climate, culture and landscape. *Holocene* 11: 631-634.
- Robley A J, Short J & Bradley S 2001 Dietary overlap between the burrowing bettong (*Bettongia lesueur*) and the European rabbit (*Oryctolagus cuniculus*) in semi-arid coastal Western Australia. *Wildlife Research* 28: 341-349.
- Roelofs R F R, Rengel Z, Cawthray G R, Dixon K W & Lambers H 2001 Exudation of carboxylates in Australian Proteaceae: chemical composition. *Plant, Cell & Environment* 24: 891-903.
- Rokich D P, Meney K A, Dixon K W & Sivasithamparam K 2001 The impact of soil disturbance on root development in woodland communities in Western Australia. *Australian Journal of Botany* 49: 169-183.
- Rosser S & Thompson P A 2001 Phytoplankton of the Swan-Canning Estuary: a comparison of nitrogen uptake by different bloom assemblages. *Hydrological Processes* 15: 2579-2594.
- Roy P S, Williams R J, Jones A R, Yassini I, Gibbs P J, Coates B, West R J, Scanes P R, Hudson J P & Nichol S 2001 Structure and function of south-east Australian estuaries. *Estuarine Coastal & Shelf Science* 53: 351-384.
- Ru Y J & Fortune J A 2001 Seed yield and nutritive value of dry, mature subterranean clover (*Trifolium subterraneum* L.). *Australian Journal of Experimental Agriculture* 41: 169-175.
- Sampaio A, Cortes R & Leao C 2001 Invertebrate and microbial colonisation in native and exotic leaf litter species in a mountain stream. *International Review of Hydrobiology* 86: 527-540.
- Schilizzi S & Pannell D J 2001 The economics of nitrogen fixation. *Agronomie* 21: 527-537.
- Semeniuk T A 2001 Epiphytic foraminifera along a climatic gradient, western Australia. *Journal of Foraminiferal Research* 31: 191-200.
- Sergeant E 2001 Ovine Johne's disease in Australia - the first 20 years. *Australian Veterinary Journal* 79: 484-491.
- Sharma I K, Jones D L, Young A G & French C J 2001 Genetic diversity and phylogenetic relatedness among six endemic *Pterostylis* species (Orchidaceae; series Grandiflorae) of Western Australia, as revealed by allozyme polymorphisms. *Biochemical Systematics & Ecology* 29: 697-710.
- Siddique K H M, Regan K L, Tennant D & Thomson B D 2001 Water use and water use efficiency of cool season grain legumes in low rainfall Mediterranean-type environments. *European Journal of Agronomy* 15: 267-280.
- Silberstein R, Held A, Hatton T, Viney N & Sivapalan M 2001 Energy balance of a natural jarrah (*Eucalyptus marginata*) forest in Western Australia: measurements during the spring and summer. *Agricultural & Forest Meteorology* 109: 79-104.
- Simpfendorfer C A, Goodreid A & McAuley R B 2001 Diet of three commercially important shark species from Western Australian waters. *Marine & Freshwater Research* 52: 975-985.

- Simpfendorfer C A, Goodreid A B & McAuley R B 2001 Size, sex and geographic variation in the diet of the tiger shark, *Galeocerdo cuvier*, from Western Australian waters. *Environmental Biology of Fishes* 61: 37-46.
- Simpfendorfer S, Harden T J & Murray G M 2001 Effect of temperature and pH on the growth and sporulation of *Phytophthora clandestina*. *Australasian Plant Pathology* 30: 1-5.
- Sinclair E A 2001 Phylogeographic variation in the quokka, *Setonix brachyurus* (Marsupialia: Macropodidae): implications for conservation. *Animal Conservation* 4: 325-333.
- Slaney D P 2001 New species of Australian cockroaches in the genus *Paratemnopteryx* Saussure (Blattaria, Blattellidae, Blattellinae), and a discussion of some behavioural observations with respect to the evolution and ecology of cave life. *Journal of Natural History* 35: 1001-1012.
- Smith A J & Turner J V 2001 Density-dependent surface water-groundwater interaction and nutrient discharge in the Swan-Canning Estuary. *Hydrological Processes* 15: 2595-2616.
- Stansbury C D 2001 Dispersal of the environmental weed Bridal Creeper, *Asparagus asparagoides*, by Silvereyes, *Zosterops lateralis*, in south-western Australia. *Emu* 101: 39-45.
- Stephenson P C, Edmonds J S, Moran M J & Caputi N 2001 Analysis of stable isotope ratios to investigate stock structure of red emperor and Rankin cod in northern Western Australia. *Journal of Fish Biology* 58: 126-144.
- Taylor B A & Haig D W 2001 Barremian foraminifera from the Muderong Shale, oldest marine sequence in the Cretaceous of the Southern Carnarvon Basin, Western Australia. *Micropaleontology* 47: 125-143.
- Tennant D & Hall D 2001 Improving water use of annual crops and pastures - limitations and opportunities in Western Australia. *Australian Journal of Agricultural Research* 52: 171-182.
- Thompson P A 2001 Temporal variability of phytoplankton in a salt wedge estuary, the Swan-Canning Estuary, Western Australia. *Hydrological Processes* 15: 2617-2630.
- Thompson R C A 2001 The future impact of societal and cultural factors on parasitic disease - some emerging issues. *International Journal for Parasitology* 31: 949-959.
- Tieu A, Dixon K W, Meney K A & Sivasithamparam K 2001 Interaction of soil burial and smoke on germination patterns in seeds of selected Australian native plants. *Seed Science Research* 11: 69-76.
- Tieu A, Dixon K W, Meney K A & Sivasithamparam K 2001 The interaction of heat and smoke in the release of seed dormancy in seven species from southwestern Western Australia. *Annals of Botany* 88: 259-265.
- Tieu A, Dixon K W, Meney K A, Sivasithamparam K & Barrett R L 2001 Spatial and developmental variation in seed dormancy characteristics in the fire-responsive species *Anigozanthos manglesii* (Haemodoraceae) from western Australia. *Annals of Botany* 88: 19-26.
- Tiver F, Nicholas M, Kriticos D & Brown J R 2001 Low density of prickly acacia under sheep grazing in Queensland. *Journal of Range Management* 54: 382-389.
- Trnski T 2001 Diel and tidal abundance of fish larvae in a barrier-estuary channel in New South Wales. *Marine & Freshwater Research* 52: 995-1006.
- Tugiyono & Gagnon M M 2001 Pink snapper (*Pagrus auratus*) as a bioindicator of aquatic environmental health in Western Australia. *Environmental Toxicology* 16: 449-454.
- Turner S R, Touchell D H, Senaratna T, Bunn E, Tan B & Dixon K W 2001 Effects of plant growth regulators on survival and recovery growth following cryopreservation. *Cryo-Letters* 22: 163-174.
- Turner S, Senaratna T, Touchell D, Bunn E, Dixon K & Tan B 2001 Stereochemical arrangement of hydroxyl groups in sugar and polyalcohol molecules as an important factor in effective cryopreservation. *Plant Science* 160: 489-497.
- Turney C S M, Bird M I, Fifield L K, Roberts R G, Smith M, Dortch C E, Grun R, Lawson E, Ayliffe L K, Miller G H, Dortch J & Cresswell R G 2001 Early human occupation at Devil's Lair, southwestern Australia 50,000 years ago. *Quaternary Research* 55: 3-13.
- Twigg L E, Kok N E, Kirkpatrick W E & Burrow G 2001 The longevity of 1080 egg-baits in a regularly baited nature reserve in south-western Australia. *Wildlife Research* 28: 607-618.
- Twigg L E, Martin G R, Wilson N, Goddard D, Watkins R & Armstrong P J 2001 Longevity of zinc phosphide on wheat bait in tropical Australia. *Wildlife Research* 28: 261-267.
- Twomey L & John J 2001 Effects of rainfall and salt-wedge movement on phytoplankton succession in the Swan-Canning Estuary, Western Australia. *Hydrological Processes* 15: 2655-2669.
- Twomey L & Thompson P 2001 Nutrient limitation of phytoplankton in a seasonally open bar-built estuary: Wilson Inlet, Western Australia. *Journal of Phycology* 37: 16-29.
- Tynan K M, Wilkinson C J, Holmes J M, Dell B, Colquhoun I J, McComb J A & Hardy G 2001 The long-term ability of phosphite to control *Phytophthora cinnamomi* in two native plant communities of Western Australia. *Australian Journal of Botany* 49: 761-770.
- Ueno Y, Isozaki Y, Yurimoto H & Maruyama S 2001 Carbon isotopic signatures of individual archean microfossils(?) from Western Australia. *International Geology Review* 43: 196-212.
- Unmack P J 2001 Biogeography of Australian freshwater fishes. *Journal of Biogeography* 28: 1053-1089.
- Vassilopoulou V, Papaconstantinou C & Christides G 2001 Food segregation of sympatric *Mullus barbatus* and *Mullus surmuletus* in the Aegean Sea. *Israel Journal of Zoology* 47: 201-211.
- Verdaguer D, Garcia-Berthou E, Pascual G & Puigderrajols P 2001 Sprouting of seedlings of three *Quercus* species in relation to repeated pruning and the cotyledonary node. *Australian Journal of Botany* 49: 67-74.
- Vernes K, Castellano M & Johnson C N 2001 Effects of season and fire on the diversity of hypogeous fungi consumed by a tropical mycophagous marsupial. *Journal of Animal Ecology* 70: 945-954.
- Vincent W J 2001 Nutrient partitioning in the upper Canning River, Western Australia, and implications for the control of cyanobacterial blooms using salinity. *Ecological Engineering* 16: 359-371.
- Viney N R & Sivapalan M 2001 Modelling catchment processes in the Swan-Avon river basin. *Hydrological Processes* 15: 2671-2685.
- Vink C J 2001 A revision of the genus *Allotrochosina* Roewer (Araneae: Lycosidae). *Invertebrate Taxonomy* 15: 461-466.
- Walker D I, Hillman K A, Kendrick G A & Lavery P 2001 Ecological significance of seagrasses: Assessment for management of environmental impact in Western Australia. *Ecological Engineering* 16: 323-330.

- Walker J 2001 *Yelsemia arthropodii* gen. et sp nov (Tilletiales) on *Arthropodium* in Australia. *Mycological Research* 105: 225-232.
- Wallis L A 2001 Environmental history of northwest Australia based on phytolith analysis at Carpenter's Gap 1. *Quaternary International* 5: 103-117.
- Ward D J, Lamont B B & Burrows C L 2001 Grass-trees reveal contrasting fire regimes in eucalypt forest before and after European settlement of southwestern Australia. *Forest Ecology & Management* 150: 323-329.
- Ward P R & Dunin F X 2001 Growing season evapotranspiration from duplex soils in south-western Australia. *Agricultural Water Management* 50: 141-159.
- Ward P R, Dunin F X & Micin S F 2001 Water balance of annual and perennial pastures on a duplex soil in a Mediterranean environment. *Australian Journal of Agricultural Research* 52: 203-209.
- Ward T M, Hoedt F, McLeay L, Dimmlich W F, Jackson G, Rogers P J & Jones K 2001 Have recent mass mortalities of the sardine *Sardinops sagax* facilitated an expansion in the distribution and abundance of the anchovy *Engraulis australis* in South Australia? *Marine Ecology Progress Series* 220: 241-251.
- Warren C R, McGrath J F & Adams M A 2001 Water availability and carbon isotope discrimination in conifers. *Oecologia* 127: 476-486.
- Warton B, Matthiessen J N & Roper M M 2001 The soil organisms responsible for the enhanced biodegradation of metham sodium. *Biology & Fertility of Soils* 34: 264-269.
- Westall F, de Wit M J, Dann J, van der Gaast S, de Ronde C E J & Gerneke D 2001 Early Archean fossil bacteria and biofilms in hydrothermally-influenced sediments from the Barberton greenstone belt, South Africa. *Precambrian Research* 106: 93-116.
- Wiegand K, Sarre S D, Henle K, Stephan T, Wissel C & Brandl R 2001 Demographic stochasticity does not predict persistence of gecko populations. *Ecological Applications* 11: 1738-1749.
- Wilkinson C J, Holmes J M, Dell B, Tynan K M, McComb J A, Shearer B L, Colquhoun I J & Hardy G E S 2001 Effect of phosphite on in planta zoospore production of *Phytophthora cinnamomi*. *Plant Pathology* 50: 587-593.
- Wilkinson C J, Holmes J M, Tynan K M, Colquhoun I J, McComb J A, Hardy G E S & Dell B 2001 Ability of phosphite applied in a glasshouse trial to control *Phytophthora cinnamomi* in five plant species native to Western Australia. *Australasian Plant Pathology* 30: 343-351.
- Wilkinson C J, Shearer B L, Jackson T J & Hardy G E S 2001 Variation in sensitivity of Western Australian isolates of *Phytophthora cinnamomi* to phosphite in vitro. *Plant Pathology* 50: 83-89.
- Williams A, Koslow J A & Last P R 2001 Diversity, density and community structure of the demersal fish fauna of the continental slope off western Australia (20 to 35 degrees S). *Marine Ecology Progress Series* 212: 247-263.
- Williams K J, Smyl C, Lichon A, Wong K Y & Wallwork H 2001 Development and use of an assay based on the polymerase chain reaction that differentiates the pathogens causing spot form and net form of net blotch of barley. *Australasian Plant Pathology* 30: 37-44.
- Williams M R, Abbott I, Liddel G L, Vellios C, Wheeler I B & Mellican A E 2001 Recovery of bird populations after clearfelling of tall open eucalypt forest in Western Australia. *Journal of Applied Ecology* 38: 910-920.
- Wilson K & Recher H F 2001 Foraging ecology and habitat selection of the Yellow-plumed Honeyeater, *Lichenostomus ornatus*, in a Western Australian woodland: implications for conservation. *Emu* 101: 89-94.
- Wilson S G & Newbound D R 2001 Two whale shark faecal samples from Ningaloo Reef, Western Australia. *Bulletin of Marine Science* 68: 361-362.
- Wilson S G, Pauly T & Meekan M G 2001 Daytime surface swarming by *Pseudeuphausia latifrons* (Crustacea, Euphausiacea) off Ningaloo reef, Western Australia. *Bulletin of Marine Science* 68: 157-162.
- Wilson S G, Taylor J G & Pearce A F 2001 The seasonal aggregation of whale sharks at Ningaloo reef, western Australia: currents, migrations and the El Niño/Southern oscillation. *Environmental Biology of Fishes* 61: 1-11.
- Woinarski J C Z, Milne D J & Wanganeen G 2001 Changes in mammal populations in relatively intact landscapes of Kakadu National Park, Northern Territory, Australia. *Austral Ecology* 26: 360-370.
- Wolanski E, Moore K, Spagnol S, D'Adamo N & Pattiaratchi C 2001 Rapid, human-induced siltation of the macrotidal Ord River Estuary, Western Australia. *Estuarine Coastal & Shelf Science* 53: 717-732.
- Wong M T F, Corner R J & Cook S E 2001 A decision support system for mapping the site-specific potassium requirement of wheat in the field. *Australian Journal of Experimental Agriculture* 41: 655-661.
- Wood R 2001 Are reefs and mud mounds really so different? *Sedimentary Geology* 145: 161-171.
- Wooller S J & Wooller R D 2001 Seed set in two sympatric banksias, *Banksia attenuata* and *B. baxteri*. *Australian Journal of Botany* 49: 597-602.
- Young G C, Lelievre H & Goujet D 2001 Primitive jaw structure in an articulated brachyothoracid arthrodire (placoderm fish; Early Devonian) from southeastern Australia. *Journal of Vertebrate Paleontology* 21: 670-678.
- Zawko G, Krauss S L, Dixon K W & Sivasithamparam K 2001 Conservation genetics of the rare and endangered *Leucopogon obtectus* (Ericaceae). *Molecular Ecology* 10: 2389-2396.
- Zhang Z Q, Shu W S, Lan C Y & Wong M H 2001 Soil seed bank as an input of seed source in revegetation of lead/zinc mine tailings. *Restoration Ecology* 9: 378-385.

Note from the Honorary Editor:

This column in the Journal of the Royal Society of Western Australia helps to link the various disciplines and inform others of the broad spectrum of achievements of WA scientists (or others writing about WA). References are abstracted from Current Contents by searching for Western Australia in the title and abstract. The references are separated into Physical Sciences and Biological Sciences.

P C Withers

Honorary Editor

Royal Society of Western Australia

Western Australian Museum

Francis Street, Perth WA 6000